Journal of
Applied Polymer Science

Volume 88, 2003

EDITOR

Eric Baer
Dept. of Macromolecular Science
Case Western Reserve University
Cleveland, OH 44106

CO-EDITOR

Anne Hiltner
Dept. of Macromolecular Science
Case Western Reserve University
Cleveland, OH 44106

FOUNDING EDITOR

Herman F. Mark

ASSOCIATE EDITORS

Brian W. Pengilly
430 Delaware Avenue
Akron, OH 44303-1236

David A. Schiraldi
Dept. of Macromolecular Science
Case Western Reserve University
Cleveland, OH 44106

Robert A. Shick
PROMERUS LLC
9921 Brecksville Road
Brecksville, OH 44141-3289

William G. Perkins
130 Johns Avenue
Akron, OH 44303

Mark A. Schubert
Energizer Battery Company
25225 Detroit Road
Westlake, OH 44145

EDITORIAL BOARD

A.-C. Albertsson
T. M. Aminabhavi
A. N. Banerjee
B. M. Baysal
D. Benko
A. Bhowmick
W. Bonfield
G. Capaccio
S. H. Carr
B. J. Chisholm
N. Chung
R. E. Cohen
J. R. Collier
J. M. G. Cowie
A. Crowson
A. M. Cunha
G. W. Ehrenstein
S. El-Aasser
A. Galeski
G. Gillberg
W. Glasser
B. Gupta
D. J. Hourston
A. I. Isayev
S. H. Kandil
J. L. Kardos
J. Karger-Kocsis
B. K. Kim
C. Lacabanne
J. L. Leblanc
A. J. Lesser
K. Mauritz
J. W. Mays
H. E. H. Meijer
R. Miller
P. Molyneux
C. L. Myers
T. Nakagawa
L. Nicolais
R. M. Nowak
E. F. Oleynik
D. R. Paul
N. A. Plate
R. E. Prud'homme
L. Rebenfeld
F. Rodriguez
J. P. Santerre
L. Shi
A. Siegmann
A. W. Snow
B. G. Soares
L. H. Sperling
D. R. Squire
J. Summers
S. C. Tjong
R. Vera-Graziano
I. M. Ward
C. Weder
R. A. Weiss
G. Wilkes
K. J. Wynne

Editorial Production, John Wiley: Michele Azzaretto, Glenn Beck, Sheila Kaminsky, Marc Nadeau

The *Journal of Applied Polymer Science* (Print ISSN 0021-8995; Online ISSN 1097-4628 at Wiley InterScience, www.interscience.wiley.com) is published weekly and semi-weekly in the fourth and fifth weeks of April, the fourth week of November, and the second week of December, four volumes per year, by Wiley Subscription Services, Inc., a Wiley Company, 111 River Street, Hoboken, NJ 07030.

Copyright © 2003 Wiley Periodicals, Inc., a Wiley Company. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, (978) 750-8400, fax (978) 750-4470. Periodicals postage paid at New York, NY, and at additional mailing offices.

The copyright notice appearing at the bottom of the first page of an article in the journal indicates the copyright holder's consent that copies may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 and 108 of the U.S. Copyright Law.

This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Dept.

Subscription price: (Volumes 87–90, 2003) Print only: $14,495.00 in US, $15,055.00 in Canada and Mexico, $15,531.00 rest of world. Electronic only: $14,495.00 worldwide. A combination price of $15,220.00 in US, $15,780.00 in Canada and Mexico, $16,256.00 rest of world, includes the subscription in both electronic and print formats. All subscriptions containing a print element, shipped outside US, will be sent by air. Payment must be made in US dollars drawn on a US bank. Claims for undelivered copies will be accepted only after the following issue has been delivered. Please enclose a copy of the mailing label. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits. Please allow four weeks for processing a change of address. For subscription inquiries, please contact John Wiley & Sons, Inc., Attn.: Journals Admin. Dept. UK, 111 River Street, Hoboken, NJ 07030; (201) 748-6645 or e-mail: subinfo@wiley.com.

Postmaster: Send address changes to *Journal of Applied Polymer Science,* Subscription Distribution, c/o John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030.

Advertising/Sales: Inquiries concerning advertising should be forwarded to the Advertising Sales Manager, c/o John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, (201) 748-8832. Advertising Sales, European Contact: Jackie Sibley, c/o John Wiley & Sons, Ltd., The Atrium, Southern Gate, Chichester, West Sussex PO19 8SQ, England. Tel: 44 1243 770 351; Fax: 44 1243 770 432; e-mail: adsales@ wiley.co.uk

Reprints: Reprint sales and inquiries should be directed to the Customer Service Department, c/o John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030. Tel.: 201-748-8789.

Other Correspondence: Address all other correspondence to: *Journal of Applied Polymer Science,* Publisher, c/o John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030.

The contents of this journal are indexed or abstracted in *Chemical Abstracts, Chemical Titles, Chemistry Citation Index, Compendex, Current Contents/Engineering, Computing, and Technology, Current Contents/Physical, Chemical and Earth Sciences, INSPEC, ISI Alerting Services (includes Research Alert), Materials Science Citation Index, Polymer Blends, Alloys & Interpenetrating Polymer Networks Abstracts, Reaction Citation Index, Science Citation Index, SciSearch (also known as Science Citation Index-Expanded), Urethane Abstracts, World Surface Coatings Abstracts,* and *World Textiles.*

This paper meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper). ♾

Journal of Applied Polymer Science

Author Index—Volume 88

Abd El-Kader, K. M.
—; Spectroscopic Behavior of Poly(vinyl alcohol) Films with Different Molecular Weights after UV Irradiation, Thermal Annealing, and Double Treatment with UV Irradiation and Thermal Annealing, 589
Abd-El-Messieh, S. L.
—; Abd-El-Nour, K. N.: Effect of Curing Time and Sulfur Content on the Dielectric Relaxation of Styrene Butadiene Rubber, 1613
Abd-El-Nour, K. N. See Abd-El-Messieh, S. L., 1613
Abou-El-Sherbini, K.
—; Kenawy, I. M. M.; Issa, R. M.: Chemical Modification of Controlled-Pore Silica with *N*-Propylsalicylaldimine, 3159
Abraham, E. T. See Bindhu, L. V., 1456
Abraham, G.
—; Packirisamy, S.; Vijayan, T. M.; Ramaswamy, R.: Epoxy-Imide Resins from 2,2-Bis 4-(4-trimellitimidophenoxy)phenyl}propane: Adhesive and Thermal Properties, 1737
Abu-Ilaiwi, F. A.
—; Ahmad, M. B.; Ibrahim, N. A.; Rahman, M. Z. A.; Dahlan, K. Z. M.; Yunus, W. M. Z. W.: Graft Copolymerization of Methyl Methacrylate onto Rubber-Wood Fiber Using H_2O_2 and Fe^{2+} as an Initiator System, 2499
Acharya, S. See Samal, S., 570
Adachi, T. See Iwata, M., 1752
Adachi, Y. See Mitani, T., 2988
Adusei, G.
—; Deb, S.; Nicholson, J. W.; Mou, L.; Singh, G.: Polymerization Behavior of an Organophosphorus Monomer for Use in Dental Restorative Materials, 565
Ahmad, M. B. See Abu-Ilaiwi, F. A., 2499
Ahn, S.-H. See Nam, K.-W., 1659
Ahola, N.
—; Rich, J.; Karjalainen, T.; Seppälä, J.: Release of Ibuprofen from Poly(ε-caprolactone-*co*-D,L-lactide) and Simulation of the Release, 1279
Ajji, A.
—; Sammut, P.; Huneault, M. A.: Elongational Rheology of LLDPE/LDPE Blends, 3070
—; See Mohanraj, J., 1336
Akbas, T.
—; Beker, Ü. G.; Güner, F. S.; Erciyes, A. T.; Yagci, Y.: Drying and Semidrying Oil Macromonomers. III. Styrenation of Sunflower and Linseed Oils, 2373
Alcoutlabi, M.
—; McKenna, G. B.; Simon, S. L.: Analysis of the Development of Isotropic Residual Stresses in a Bismaleimide/Spiro Orthocarbonate Thermosetting Resin for Composite Materials, 226
Alessi, P.
—; Cortesi, A.; Kikic, I.; Vecchione, F.: Plasticization of Polymers with Supercritical Carbon Dioxide: Experimental Determination of Glass-Transition Temperatures, 2189
Ali, K. M. I. See Basfar, A. A., 459
Ali, R.
—; Iannace, S.; Nicolais, L.: Effect of Processing Conditions on Mechanical and Viscoelastic Properties of Biocomposites, 1637
Alince, B.
—; Bednar, F.: Role of Cationic Polyacrylamide in Fiber-$CaCO_3$ Pigment Interactions, 2409
Al-Khanbashi, A.
—; El-Gamal, M.: Modification of Sandy Soil Using Water-Borne Polymer, 2484
Allen, S. A. B. See Wu, X., 1186
Alonso, M. J. See Janes, K. A., 2769
Alt, H. G. See Schmidt, R., 476
Alvarez, S.
—; Manolache, S.; Denes, F.: Synthesis of Polyaniline Using Horseradish Peroxidase Immobilized on Plasma-Functionalized Polyethylene Surfaces as Initiator, 369
Alvila, L. See Turunen, M., 582
Aminabhavi, T. M. See Kariduraganavar, M. Y., 840
Anandhan, S.
—; De, P. P.; De, S. K.; Bhowmick, A. K.: Thermoplastic Elastomeric Blend of Nitrile Rubber and Poly(styrene-*co*-acrylonitrile). I. Effect of Mixing Sequence and Dynamic Vulcanization on Mechanical Properties, 1976
Andersson, L. H. U.
—; Hjertberg, T.: Silicone Elastomers for Electronic Applications. I. Analyses of the Noncrosslinked Fractions, 2073
Andersson, T. See Ljungberg, N., 3239
Ansari, D. M.
—; Price, G. J.: Correlation of the Material Properties of Calcium Carbonate Filled Polypropylene with the Filler Surface Energies, 1951
Apekis, L. See Zois, H., 3013
Aranguren, M. I. See Nuñez, A. J., 1420
Araújo, R. C. S.
—; Pasa, V. M. D.: Mechanical and Thermal Properties of Polyurethane Elastomers Based on Hydroxyl-Terminated Polybutadienes and Biopitch, 759
Archondouli, P. S.
—; Kallitsis, J. K.; Kalfoglou, N. K.: Compatibilization and Property Characterization of Polycarbonate/Polyurethane Polymeric Alloys, 612
Areso, S. See García-Martínez, J. M., 2202
Arribas, J. M. See Marco, C., 2261
Arvidsson, R. See Toriz, G., 337
Asteasuain, M.
—; Sarmoria, C.; Brandolin, A.: Controlled Rheology of Polypropylene: Modeling of Molecular Weight Distributions, 1676
Awasthi, S. K. See Sood, A., 3058
Azar, A. A. See Firouzmanesh, M. R., 2455

Baglioni, P. See Lo Nostro, P., 706
Bahrami, S. H.
—; Bajaj, P.; Sen, K.: Thermal Behavior of Acrylonitrile Carboxylic Acid Copolymers, 685

Bai, C. See Zeng, Y., 1328
Bajaj, P.
—; Sreekumar, T. V.; Sen, K.; Kumar, R.; Brar, A. S.: Structural Investigations of Acrylonitrile–Vinyl Acid Copolymers by NMR Spectroscopy, 1211
—; See Bahrami, S. H., 685
Balaji, R.
—; Kothandaraman, H.; Rajarathnam, D.: Investigation of Kinetics of 4-Methylpentene-1 Polymerization Using Ziegler–Natta-Type Catalysts, 2468
Balasubramanian, S. See Thamizharasi, S., 1817
Baltá Calleja, F. J. See Cagiao, M. E., 16
Bambole, V. A. See Bhat, N. V., 22
Bandyopadhyay, D. See Mandal, P. K., 767
Banerjee, M.
—; Mukherjee, G. S.: Studies on the Conductivity Properties of a Family of Cyanoethylated Amine Cured Epoxy Resin Matrices, 1627
Bao, S.-P. See Xu, W.-B., 2932
Barni, A.
—; Levi, M.: Aqueous Polyurethane Dispersions: A Comparative Study of Polymerization Processes, 716
Barroso-Bujans, F.
—; Martínez, R.; Ortiz, P.: Structural Characterization of Oligomers from the Polycondensation of Citric Acid with Ethylene Glycol and Long-Chain Aliphatic Alcohols, 302
Barton, D. C. See Taraiya, A. K., 1268
Basfar, A. A.
—; Ali, K. M. I.: Effect of Film Draw Temperature (FDT) on Physical Properties of Polyethylene, 459
Bassani, A.
—; Pessan, L. A.: Toughening of Polypropylene with Styrene/Ethylene-Butylene/Styrene Triblock Copolymer: Effects of Reactive and Nonreactive Compatibilization, 1081
Bawa, A. S. See Jagannath, J. H., 64
Bayer, R. K. See Cagiao, M. E., 16
Bayramoğlu, G.
—; Poly(2-Hydroxyethylmeth-acrylate)/Chitosan Dye and Different Metal-Ion-Immobilized Interpenetrating Network Membranes: Preparation and Application in Metal Affinity Chromatography, 1843
Beag, Y.-W. See Lee, C.-S., 258
Bednar, F. See Alince, B., 2409
Beker, Ü. G. See Akbas, T., 2373
Benavente, R. See Zamfirova, G., 1794
Berggren, R.
—; Berthold, F.; Sjöholm, E.; Lindström, M.: Improved Methods for Evaluating the Molar Mass Distributions of Cellulose in Kraft Pulp, 1170
Berglund, L. A. See Liu, X., 953
Berndt, C. C. See Yan, F. Y., 214
Berthold, F. See Berggren, R., 1170
Bertini, F.
—; Canetti, M.; De Chirico, A.; Ricci, G.: Thermal Characterization of Butadiene–Isoprene Copolymers with a 1,2/3,4 Structure, 2737
Bertrand, C. See Gattin, R., 825
Bhardwaj, Y. K.
—; Kumar, V.; Sabharwal, S.: Swelling Behavior of Radiation-Polymerized Polyampholytic Two-Component Gels: Dynamic and Equilibrium Swelling Kinetics, 730
Bhat, N. V.
—; Gadre, A. P.; Bambole, V. A.: Investigation of Electropolymerized Polypyrrole Composite Film: Characterization and Application to Gas Sensors, 22
Bhattacharya, A. K. See Ghosh, A., 2377
Bhattacharyya, S. See Ghosh, P., 2550
Bhowmick, A. K. See Anandhan, S., 1976; Shanmugharaj, A. M., 2992
Bhushan, B. See Ma, T., 2082
Bindhu, L. V.
—; Abraham, E. T.: Immobilization of Horseradish Peroxidase on Chitosan for Use in Nonaqueous Media, 1456
Birgül, Ö. See Yıldız, B., 2028
Biswas, M. See Maity, A., 2233
Blair, D. See Kandola, B. K., 2511
Blanco, I.
—; Cicala, G.; Lo Faro, C.; Recca, A.: Improvement of Thermomechanical Properties of a DGEBS/DDS System Blended with a Novel Thermoplastic Copolymer by Realization of a Semi-IPN Network, 3021
Bletsos, I. V. See Papaspyrides, C. D., 1252
Boiteux, G. See Shumsky, V. F., 1911
Bond, G. M. See Simsek-Ege, F. A., 346
Bourham, M. A. See McCord, M. G., 2038
Boyard, N.
—; Vayer, M.; Sinturel, C.; Erre, R.; Delaunay, D.: Analysis and Modeling of *PVTX* Diagram of an Unsaturated Polyester Resin, Thermoplastic Additive, and Mineral Fillers Blend, 1258
Brahmbhatt, R. B. See Patel, A. C., 72
Brandolin, A. See Asteasuain, M., 1676
Brar, A. S.
—; Kaur, M.: Nuclear Magnetic Resonance Studies of *N*-Vinylcarbazole/Methyl Methacrylate Copolymers, 3005
—; See Bajaj, P., 1211; Hooda, S., 3232
Brazel, C. S. See Stoltz, M. J., 2974
Brown, J. S. See Ngo, T. T., 522
Bui, T. X. See Yudin, V. E., 3151
Bulmuş, V.
—; Patır, S.; Tuncel, S. A.; Pişkin, E.: Conjugates of Poly(*N*-isopropyl acrylamide-*co*-acrylic acid) with Alanine Monopeptide, Dipeptide, and Tripeptide, 2012
Bumbu, G.
—; Vasile, C.; Popescu, M. C.; Darie, H.; Chiţanu, G. C.; Singurel, G.; Carpov, A.: Compatibility of Polysaccharide/Maleic Copolymer Blends. IV. Thermal Behavior of Hydroxypropyl Cellulose-Containing Blends, 2585
Bunia, I. See Neagu, V., 2956
Buruiana, E. C.
—; Niculescu, V.; Buruiana, T.: Synthesis and Properties of New Polyurethane Ionomers. I. Photosensitive Cationomers with Triazene Units, 1203
Buruiana, T. See Buruiana, E. C., 1203
Buvaneswari, R. See Rajendran, V., 389

Cádiz, V. See Ruiz, J., 3026
Cagiao, M. E.
—; Bayer, R. K.; Rueda, D. R.; Baltá Calleja, F. J.: An X-ray Scattering Study of Water-Conditioned Injection-Molded Starch during Isothermal Heating, 16
Cai, W.
—; Gupta, R. B.: Thermosensitive and Ampholytic Hydrogels for Salt Solution, 2032
Canetti, M. See Bertini, F., 2737
Carpov, A. See Bumbu, G., 2585
Carrot, C. See Chen, J., 1376
Casentini, E. See Picchioni, F., 2698

Caskey, T. C.
—; Lesser, A. J.; McCarthy, T. J.: *In Situ* Polymerization and Nano-Templating Phenomenon in Nylon Fiber/PMMA Composite Laminates, 1600
Cassagnau, P. See Shumsky, V. F., 1911
Cazacu, M.
—; Dragan, S.; Vlad, A.: Organic–Inorganic Polymer Hybrids and Porous Materials Obtained on Their Basis, 2060
Cerrada, M. L. See de la Fuente, J. L., 1705
Chadwick, D. L. See Challis, R. E., 1665
Chakrabarty, D. See Mandal, P. K., 767
Chalamet, Y. See Chen, J., 1376
Challis, R. E.
—; Unwin, M. E.; Chadwick, D. L.; Freemantle, R. J.; Partridge, I. K.; Dare, D. J.; Karkanas, P. I.: Following Network Formation in an Epoxy/Amine System by Ultrasound, Dielectric, and Nuclear Magnetic Resonance Measurements: A Comparative Study, 1665
Chan, W.-C.
—; Lu, M.-C.: A New Type Synthetic Filter Material for Biofilter: Poly(Vinyl Alcohol)/Peat Composite Bead, 3248
Chang, K.-C. See Hsu, S. L.-C., 2388
Chang, S. See Yeh, J.-M., 3264
Chao, P.-Y. See Chen, Z.-L., 3045
Chapleau, N. See Mohanraj, J., 1336
Charreyre, M.-T. See D'Agosto, F., 1808
Chattopadhyay, S.
—; Madras, G.: Influence of Temperature on the Ultrasonic Degradation of Poly(vinyl acetate) and Poly(vinyl chloride), 2818
Chen, C.
—; Mu, S.: Electrochemical Polymerization of Azure A and Properties of Poly(azure A), 1218
—; Peng, S.; Fei, B.; Zhuang, Y.; Dong, L.; Feng, Z.; Chen, S.; Xia, H.: Synthesis and Characterization of Maleated Poly(3-hydroxybutyrate), 659
Chen, C.-Y. See Cheng, S.-K., 699
Chen, F. See Huang, J., 3284
Chen, G. See Li, M., 2275; Zeng, Y., 1328
Chen, J.
—; Carrot, C.; Chalamet, Y.; Majeste, J.-C.; Taha, M.: Rheology of Poly(*n*-butyl methacrylate) and Its Composites with Calcium Carbonate, 1376
—; See Kwon, O. H., 1726; Wang, P., 680
Chen, K.-M. See Liu, H.-J., 1236
Chen, L.
—; Wong, S.-C.; Pisharath, : Fracture Properties of Nanoclay-Filled Polypropylene, 3298
Chen, M. See Guo, Y., 652
Chen, P. See Huang, J., 3291; Long, J., 3117; Zhang, L., 422
Chen, P.-T. See Cheng, S.-K., 699
Chen, R. H. See Tsaih, M. L., 2917
Chen, R.-S. See Yang, C.-P., 669
Chen, S. See Chen, C., 659
Chen, W. See Xu, N., 79
Chen, X. See Li, M., 2275
Chen, X.-M. See Shen, J.-W., 1864
Chen, Z.-L.
—; Chao, P.-Y.; Chiu, S.-H.: Empirical Viscosity Model for Polymers with Power-Law Flow Behavior, 3045
Cheng, J.-C. See Wu, T.-M., 1022
Cheng, S. See Wang, J., 2664
Cheng, S.-K.
—; Chen, P.-T.; Wang, C.-C.; Chen, C.-Y.: Mechanical Properties of Ethylene–Vinyl Acetate/Polystyrene Blends Studied by *In Situ* Polymerization, 699
Cheng, Z. See Zhu, X., 1787
Cheung, W. L. See Lin, X. D., 3100
Chiang, C.-L. See Ma, C.-C. M., 1686
Chiang, J. C. See Lin, C. H., 2607
Chin, C.-P. See Yeh, J.-M., 1072, 3264
Chiou, B.-S.
—; Lankford, A. R.; Schoen, P. E.: Mechanical and Dielectric Properties of Polymer Composites Containing Tubules, 3218
Chiţanu, G. C. See Bumbu, G., 2585
Chiu, S.-H. See Chen, Z.-L., 3045
Cho, C.-S. See Kweon, H. Y., 2670; Oh, S.-B., 2649
Cho, H. H. See Kang, Y. A., 1357
Cho, S.-J.
—; Study on the Polymerization of ϵ-Caprolactam in the Interlamellar Spaces of ACOOH}-Montmorillonite Intercalations Complex and Its Characterization, 1904
Choi, H. J. See Kim, C. A., 1836
Choi, H. W. See Lee, I. J., 2339
Choi, J. W. See Kim, Y. H., 1567
Choi, K. Y.
—; Chung, J. S.; Woo, B. G.; Hong, M. H.: Kinetics of Slurry Phase Polymerization of Styrene to Syndiotactic Polystyrene with Pentamethyl Cyclopentadienyl Titanium Trimethoxide and Methyl Aluminoxane. I. Reaction Rate Analysis, 2132
Choi, M. H. See Koo, C. M., 1526
Choi, S.-H.
—; Lee, K.-P.; Kang, H.-D.: Immobilization of Lipase on a Polymeric Microsphere with an Epoxy Group Prepared by Radiation-Induced Polymerization, 1153
Choi, Y.-J.
—; Kang, M.-S.; Moon, S.-H.: Characterization of Semi-Interpenetrating Polymer Network Polystyrene Cation-Exchange Membranes, 1488
Choi, Y.-K. See Oh, S.-B., 2649
Chowdhury, G. See Zhang, L., 3132
Chuayjuljit, S.
—; Kunsawat, C.; Potiyaraj, P.: Use of Silica from Rice Husk Ash as an Antiblocking Agent in Low-Density Polyethylene Film, 848
—; See Pimpan, V., 788
Chung, I. J. See Koo, C. M., 1526
Chung, J. S. See Choi, K. Y., 2132
Chung, K. See Lee, K. S., 500
Cicala, G. See Blanco, I., 3021
Čík, G. See Šeršeň, F., 2214
Clingerman, M. L.
—; Weber, E. H.; King, J. A.; Schulz, K. H.: Development of an Additive Equation for Predicting the Electrical Conductivity of Carbon-Filled Composites, 2280
—; See Weber, E. H., 112, 123
Cofrades, A. G. See García-Martínez, J. M., 2202
Cohen, R. E. See Gratt, J. A., 177
Collar, E. P. See García-Martínez, J. M., 2202
Colonna, P. See Riquet, A.-M., 990
Contat-Rodrigo, L.
—; Ribes-Greus, A.: Thermal and Viscoelastic Properties of Some Commercial Starch Products, 1242
Copinet, A. See Gattin, R., 825
Cortesi, A. See Alessi, P., 2189
Counts, K. See Ngo, T. T., 522
Couturier, Y. See Gattin, R., 825
Cui, M. See Wang, C., 1632

Cui, N. See Mi, X., 3273
Czarnecki, R.
—; Łęcka, J.: H_2O_2 as a Modifier of Phenol–Formaldehyde Resin used in the Production of Particleboards, 3084

D'Agosto, F.
—; Charreyre, M.-T.; Mélis, F.; Mandrand, B.; Pichot, C.: High Molecular Weight Hydrophilic Functional Copolymers by Free-Radical Copolymerization of Acrylamide and of *N*-Acryloylmorpholine with *N*-Acryloxysuccinimide: Application to the Synthesis of a Graft Copolymer, 1808
Dahlan, K. Z. M. See Abu-Ilaiwi, F. A., 2499
Dai, G. See Gui, Q., 297
Dai, Q.
—; Zhang, Z.; Wang, F.; Liu, J.: Preparation and Properties of Polydimethylsiloxane/Polyacrylate Composite Latex Initiated by ^{60}Co γ-Ray Irradiation, 2732
Dai, W.
—; Liu, P.; Wang, X.: Self-Interference Flow of an Isotactic Polypropylene Melt in a Cavity during Injection Molding. I. Effect of the Self-Interference Flow on the Properties, 2784
—; Lui, P.; Wang, X.: Self-Interference Flow of an Isotactic Polypropylene Melt in a Cavity during Injection Molding. II. Morphology and Crystallinity, 2791
Danella, O. J., Jr.
—; Santana, R. C.; Manrich, S.; Manrich, S.: Surface and Printing Properties of Synthetic Film Papers, 2346
Daniels, E. S. See Mohd Ghazaly, H., 42; Tang, J., 30
Dare, D. J. See Challis, R. E., 1665
Daren, S. See Dvir, H., 1506
Darie, H. See Bumbu, G., 2585
Das Gupta, D. K. See Jagannath, J. H., 64
da Silva, E. P.
—; Kaplan, M. A. C.; Tavares, M. I. B.: Preparation and Solid-State Nuclear Magnetic Resonance Characterization a Styrene/Butadiene/Acrylonitrile (ABS)/Poly(vinyl chloride) (PVC)/Gypsum Ternary System, 293
Datta, S. See Zhang, J., 1473
Davydenko, V. V. See Shumsky, V. F., 1911
De, P.
—; Sathyanarayana, D. N.; Sadasivamurthy, P.; Sridhar, S.: Synthesis, Spectral Characterization, and Thermochemical Studies of Poly(phenyl methacrylate peroxide) (Note), 2364
De, P. P. See Anandhan, S., 1976
De, S. K. See Anandhan, S., 1976; Ghosh, A., 2377
Deb, S. See Adusei, G., 565
De Chirico, A. See Bertini, F., 2737
deClaville Christiansen, J. See Drozdov, A. D., 1438
de la Fuente, J. L.
—; Fernández-García, M.; Cerrada, M. L.: Viscoelastic Behavior in a Hydroxyl-Terminated Polybutadiene Gum and Its Highly Filled Composites: Effect of the Type of Filler on the Relaxation Processes, 1705
Delaunay, D. See Boyard, N., 1258
Denes, F. See Alvarez, S., 369
Deng, X.
—; Li, Z.; Yuan, M.; Hao, J.: Anionic Ring-Opening Polymerization of Adipic Anhydride Initiated by Potassium Poly(ethylene glycol)ate, 2194
Devasia, R.
—; Reghunadhan Nair, C. P.; Sivadasan, P.; Katherine, B. K.; Ninan, K. N.: Cyclization Reaction in Poly(acrylonitrile/Itaconic Acid) Copolymer: An Isothermal Differential Scanning Calorimetry Kinetic Study, 915
Devi, S. See Patel, A. C., 72
Dey, R. K. See Samal, S., 570
Dhathathreyan, K. S. See Ramya, K., 307
Dias, F. M. See Mendes, L. C., 2253
Dimonie, V. L. See Mohd Ghazaly, H., 42; Tang, J., 30; Yuan, X.-Y., 1988
Ding, T. See Tang, J., 30
Doane, W. See Garlotta, D., 1775
Döll, W. See Schröder, N., 1040
Dong, D.-W. See Ji, X.-L., 3168
Dong, L. See Chen, C., 659
Dong, Q.
—; Young, T. M.: Synthesis and Rapid Expansion in Supercritical Carbon Dioxide through Porous Sintered Metal Plate of Poly(1,1,2,2-tetrahydroperfluorodecyl acrylate), 2763
Dong, W. See Teng, H., 536
Dragan, S. See Cazacu, M., 2060
Drozdov, A. D.
—; deClaville Christiansen, J.: Model for the Viscoelastic and Viscoplastic Responses of Semicrystalline Polymers, 1438
Du, M. See Wu, G., 2160
Du, Y. See Tang, R., 1095
Duan, M. See Lu, S., 1536
Dubey, V.
—; Kuthe, S.; Saxena, C.; Jaiswal, D. K.: Study of Sorption/Desorption of Water and Organic Vapors on Poly(ethylene maleate)-Based Sensor-Coating Materials Using an Automated Gravimetric Analyzer, 1760
Duckett, R. A. See Mohanraj, J., 1336
Duek, E. A. R. See Pezzin, A. P. T., 2744
Dvir, H.
—; Gottlieb, M.; Daren, S.: Thermal Polymerization of a Brominated Flame Retardant in a Glass-Fiber-Reinforced Polypropylene—Quantitative Analysis, 1506

Easteal, A. J. See Zhang, C., 2563
Ebe, K.
—; Sasaki, T.: Electron Beam Curing of Aliphatic Unsaturated Polyesters. I. Mechanistic Study on Converting to Pressure-Sensitive Adhesives, 1854
Ebisawa, M. See Sugita, H., 636
Ebrahimi, G. See Tajvidi, M., 941
Eckert, C. A. See Ngo, T. T., 522
Eguiazábal, J. I. See Guerrica-Echevarría, G., 998
El-Aasser, M. S. See Mohd Ghazaly, H., 42; Tang, J., 30; Yuan, X.-Y., 1988
El-Bashir, S. M. See El-Shaarawy, M. G., 793
Elce, E. See Wu, X., 1186
El-Gamal, M. See Al-Khanbashi, A., 2484
Ellis, G. See Marco, C., 2261
Ellison, M. S. See Paradkar, R. P., 545
Elmaghor, F.
—; Zhang, L.; Li, H.: Recycling of High Density Polyethylene/Poly(vinyl chloride)/Polystyrene Ternary Mixture with the Aid of High Energy Radiation and Compatibilizers, 2756
El-Mansy, M. K. See El-Shaarawy, M. G., 793

El-Naggar, A. M.
—; Zohdy, M. H.; Hassan, M. S.; Khalil, E. M.: Antimicrobial Protection of Cotton and Cotton/Polyester Fabrics by Radiation and Thermal Treatments. I. Effect of ZnO Formulation on the Mechanical and Dyeing Properties, 1129
El-Sanabary, A. A. See Mostafa, Kh. M., 959
El-Sayed, A. See Khairou, K. S., 866
El-Shaarawy, M. G.
—; Mansour, A. F.; El-Bashir, S. M.; El-Mansy, M. K.; Hammam, M.: Electrical Conduction and Dielectric Properties of Poly(methyl methacrylate)/Perylene Solar Concentrators, 793
El-Sharkawy, F. M. See Fouda, I. M., 3202
Emami, S. H.
—; Salovey, R.: Crosslinked Poly(ethylene oxide) Hydrogels, 1451
Endo, K. See Nakamura, N., 2942
Endo, T. See Suzuki, K., 878
Erciyes, A. T. See Akbas, T., 2373
Erol, İ. See Soykan, C., 2331
Erre, R. See Boyard, N., 1258
Esteves, V. See Martins, J. A., 2706

Failla, M. D. See Vallés, E. M., 1925
Fallahi, D.
—; Mirzadeh, H.; Khorasani, M. T.: Physical, Mechanical, and Biocompatibility Evaluation of Three Different Types of Silicone Rubber, 2522
Fambri, L. See Kolařík, J., 641
Fan, J.
—; Hu, X.; Yue, C. Y.: Static and Dynamic Mechanical Properties of Modified Bismaleimide and Cyanate Ester Interpenetrating Polymer Networks, 2000
—; See Liu, X., 953
Fan, L. See Moon, K.-S., 2439; Tang, R., 1095
Fan, S.-C.
—; Wang, Y.-C.; Li, C.-L.; Lee, K.-R.; Liaw, D.-J.; Lai, J.-Y.: Permselectivities of 2,2′-Dimethyl-4,4′-bis(aminophenoxyl)-biphenyl Diphenyl Methane–Based Aromatic Polyamide Membranes for Aqueous Alcohol Mixtures in Pervaporation and Evapomeation, 2688
Fang, D.
—; Sun, J.; Zhou, Q.: Modeling of Molecular Weight Distribution of Gas-Phase Polymerization of Butadiene, 88
Fang, Z.
—; Wang, S.; Wang, S.-Q.; Kennedy, J. P.: Novel Block Ionomers. III. Mechanical and Rheological Properties, 1516
—; See Ma, G., 1296
Farris, R. J. See Raman, A., 550
Fei, B. See Chen, C., 659
Feigenbaum, A. See Riquet, A.-M., 990
Felix, A. H. O. See Nachtigall, S. M. B., 2492
Feng, C. See Zhang, L., 3132
Feng, J. See Xie, B., 398
Feng, L.-F. See Hu, G.-H., 1799
Feng, S. See Zhao, S., 3066
Feng, W. See Wang, X., 3110
Feng, Z. See Chen, C., 659
Fernández-García, M. See de la Fuente, J. L., 1705
Ferreira, A. F. See Mendes, L. C., 2253
Fındık, F. See Unal, H., 1694
Firouzmanesh, M. R.
—; Azar, A. A.: Study of Thermal Stability and Ablation Behavior of Carbon/Epoxy-Novolac Composites, 2455
Fouda, I. M.
—; Shabana, H. M.; El-Sharkawy, F. M.: Changes in Orientation Caused by UV Irradiation of Nylon 6 Fibers, 3202
France, P. See Zhang, J., 1473
Fratoni, L. See Lo Nostro, P., 706
Fredericks, P. M. See Keen, I., 1643
Freemantle, R. J. See Challis, R. E., 1665
Freger, V.
—; Srebnik, S.: Mathematical Model of Charge and Density Distributions in Interfacial Polymerization of Thin Films, 1162
Fu, S.-Y.
—; Mai, Y.-W.: Thermal Conductivity of Misaligned Short-Fiber-Reinforced Polymer Composites, 1497
Fujisawa, A. See Sawada, H., 3212

Gadre, A. P. See Bhat, N. V., 22
Gan, S. N. See Leong, Y. C., 2118
Gao, J. See Liu, G., 2891; Yang, L., 201; You, X., 627; Zhang, L., 146
Gao, Y. See Xuan, Y., 1111; Yang, J., 206
Garcia, M. E. F. See Mendes, L. C., 2253
García-López, D.
—; Merino, J. C.; Pastor, J. M.: Influence of the $CaCO_3$ Nanoparticles on the Molecular Orientation of the Polypropylene Matrix, 947
García-Martínez, J. M.
—; Cofrades, A. G.; Areso, S.; Collar, E. P.: Chemical Modification Process of an Atactic Polypropylene by *p*-Phenylenbismaleamic Acid in the Melt, 2202
Garlotta, D.
—; Doane, W.; Shogren, R.; Lawton, J.; Willett, J. L.: Mechanical and Thermal Properties of Starch-Filled Poly(D,L-lactic acid)/Poly(hydroxy ester ether) Biodegradable Blends, 1775
Gatenholm, P. See Toriz, G., 337
Gattin, R.
—; Copinet, A.; Bertrand, C.; Couturier, Y.: Biodegradation Study of a Coextruded Starch and Poly(lactic acid) Material in Various Media, 825
Gawish, S. M. See Mosleh, S., 2504
George, G. A. See Keen, I., 1643
Gerrardin, P. See Soulounganga, P., 743
Getmanchuk, I. P. See Shumsky, V. F., 1911
Ghebremeskel, G. N. See Shield, S. R., 1653
Ghim, H. D.
—; Kim, J. P.; Kim, J. H.; Koo, K.; Kim, S. S.; Lyoo, W. S.: Preparation of Novel Gold-Coated Syndiotactic Poly(vinyl alcohol) Microfibrils by Sputtering (Note), 2369
—; See Lyoo, W. S., 832, 1482, 1858
Ghose, S.
—; Isayev, A. I.: Recycling of Unfilled Polyurethane Rubber Using High-Power Ultrasound, 980
Ghosh, A.
—; Kumar, B.; Bhattacharya, A. K.; De, S. K.: Effects of Blend Ratio and Vulcanizate Powders on the Processability of Silicone Rubber/Fluororubber Blends, 2377
Ghosh, P.
—; Kar, S. B.; Bhattacharyya, S.: Conducting Blends of Poly(*o*-toluidine) and Ethylene–Propylene–Diene Terpolymer, 2550

Gnanasundaram, P. See Thamizharasi, S., 1817
Gök, A.
—; Sari, B.; Talu, M.: Chemical Preparation of Conducting Polyfuran/Poly(2-chloroaniline) Composites and Their Properties: A Comparison of Their Components, Polyfuran and Poly(2-chloroaniline), 2924
Gomaa, E.
—; Mazzroua, A.; Mohamed, M.: Comparison between the Effects of Alcohols and Diols on Polymethyl-methacrylate and Polyacrylamide with Positron Annihilation Lifetime and Electric Conductivity Measurements, 3078
Gomes, J. See Martins, J. A., 2706
Gómez, M. A. See Marco, C., 2261
Gopalan, A. See Rajendran, V., 389
Gottfried, S. See Schmidt, R., 476
Gottlieb, M. See Dvir, H., 1506
Goyanes, S. N.
—; König, P. G.; Marconi, J. D.: Dynamic Mechanical Analysis of Particulate-Filled Epoxy Resin, 883
Graef, S. M.
—; van Zyl, A. J. P.; Sanderson, R. D.; Klumperman, B.; Pasch, H.: Use of Gradient, Critical, and Two-Dimensional Chromatography in the Analysis of Styrene- and Methyl Methacrylate-Grafted Epoxidized Natural Rubber, 2530
—; See Van Zyl, A. J. P., 2539
Gratt, J. A.
—; Cohen, R. E.: Optical Properties of Block Copolymers Containing Pendant Carbazole Groups and *In Situ* Synthesized CdS Nanoclusters, 177
Gross, K. A. See Yan, F. Y., 214
Gryshchuk, O. See Karger-Kocsis, J., 2124
Gu, M. See Wang, Y., 1049
Gu, Y. See Huang, Y., 2210
Guan, R.
—; Wang, B.; Lu, D.: Preparation of Microcellular Poly(ethylene terephthalate) and Its Properties, 1956
Guan, Y.
—; Wang, S.; Zheng, A.; Xiao, H.: Crystallization Behaviors of Polypropylene and Functional Polypropylene, 872
—; See Li, Z., 1719
Guerrica-Echevarría, G.
—; Eguiazábal, J. I.; Nazábal, J.: Influence of Fillers on the Mechanical Response of an Amorphous Liquid-Crystalline Polymer, 998
Gui, Q.
—; Xin, Z.; Zhu, W.; Dai, G.: Effects of an Organic Phosphorus Nucleating Agent on Crystallization Behaviors and Mechanical Properties of Poly(propylene), 297
Güner, F. S. See Akbas, T., 2373
Guo, C. See Ma, Z., 466
Guo, W. See Wang, J., 2664
Guo, Y.
—; Tong, Z.; Chen, M.; Liang, X.: Solution Miscibility and Phase-Change Behavior of a Polyethylene Glycol–Diacetate Cellulose Composite, 652
Gupta, R. B. See Cai, W., 2032
Guruprasad, K. H. See Siddaramaiah, 1366

Ha, K.-S. See Kim, D.-H., 1010
Hamada, H. See Kitayama, T., 2875
Hammam, M. See El-Shaarawy, M. G., 793
Hammon, U. See Schmidt, R., 476
Han, B. See Xu, Q., 1876, 2427
Han, M. H. See Park, Y. H., 139
Han, S. See Lee, C.-S., 258
Han, Y.-G. See Kweon, H. Y., 2670
Hang, G.-P. See Xu, W.-B., 2932
Hao, J. See Deng, X., 2194
Harwood, H. J. See Jones, A. S., 1289
Hassan, M. S. See El-Naggar, A. M., 1129
Hayasui, A. See Sugita, H., 636
He, J. See Xu, N., 79
He, P. See Xu, W., 3093, 3225
He, P.-S. See Xu, W.-B., 2932
He, X. See Paradkar, R. P., 545; Zhu, X., 1787
Hemmati, M. See Shariatpanahi, H., 54
Henderson, C. L. See Wu, X., 1186
Hjertberg, T. See Andersson, L. H. U., 2073
Holze, R. See Yu, L., 1550
Hong, M. H. See Choi, K. Y., 2132
Hooda, S.
—; Brar, A. S.: Investigation of Microstructure of 4-Vinyl Pyridine–Methacylonitrile Copolymers by NMR Spectroscopy, 3232
Horii, H. See Suzuki, K., 878
Hornof, V. See Ng, W. L., 860
Horrocks, A. R. See Kandola, B. K., 2511
Hsu, M.-F. See Yang, C.-P., 669
Hsu, S. L.-C.
—; Chang, K.-C.; Huang, Y.-P.; Tsai, S.-J.: A Novel Synthesis Method for the Preparation of Aromatic Poly(imide benzoxazole) from Trimellitic Anhydride Chloride and Bis(*o*-aminophenol), 2388
Hu, G.-H.
—; Li, H.; Feng, L.-F.; Pessan, L. A.: Strategies for Maximizing Free-Radical Grafting Reaction Yields, 1799
Hu, J.-S. See Zhang, B.-Y., 1936
Hu, K. A. See Zhao, B. Y., 12
Hu, S.-G.
—; Jou, C.-H.; Yang, M.-C.: Antibacterial and Biodegradable Properties of Polyhydroxyalkanoates Grafted With Chitosan and Chitooligosaccharides via Ozone Treatment, 2797
Hu, X. See Fan, J., 2000; Wang, Y. L., 1713
Hu, Y. See Ma, Z., 466; Mi, X., 3273
Hu, Z. See Li, M., 2275
Hua, Y.
—; Zhang, Z.; Qin, Q.: Curing Reaction of Molybdenum–Phenolic Resins, 1410
Huang, J.
—; Zhang, L.; Chen, F.: Effects of Lignin as a Filler on Properties of Soy Protein Plastics. I. Lignosulfonate, 3284
—; Zhang, L.; Chen, P.: Effects of Lignin as a Filler on Properties of Soy Protein Plastics. II. Alkaline Lignin, 3291
—; See Zhang, L., 422
Huang, J.-M.
—; Polymer Blends of Poly(trimethylene terephthalate) and Polystyrene Compatibilized by Styrene-Glycidyl Methacrylate Copolymers, 2247
Huang, K.-S. See Shih, C.-Y., 2356
Huang, M.-R. See Li, X.-G., 1065
Huang, N. See Yu, H., 2557
Huang, W.-Y. See Shen, J.-W., 1864
Huang, Y.
—; Gu, Y.: New Polyimide–Silica Organic–Inorganic Hybrids, 2210
—; See Xuan, Y., 1111
Huang, Y.-P. See Hsu, S. L.-C., 2388

Huang, Z. H.
—; Xie, Z. M.; Li, Z. M.: Properties of Polyacrylate Soap-Free Hydrosol with Zirconium Chelate, 2858
Huber, F. See Soulounganga, P., 743
Hughes, L. K. See McCord, M. G., 2038
Huh, H. See Kang, J. S., 3188
Huneault, M. A. See Ajji, A., 3070
Hwang, Y. J. See McCord, M. G., 2038
Hyon, S.-H. See Lee, J. S., 2224

Iannace, S. See Ali, R., 1637
Ibrahim, N. A. See Abu-Ilaiwi, F. A., 2499
Igarashi, Y. See Yoshikawa, M., 183
Iijima, T.
—; Kaise, T.; Tomoi, M.: Modification of Cyanate Ester Resin by Soluble Polyimides, 1
Inagaki, N. See Lim, S. K., 2400
Isayev, A. I. See Ghose, S., 980; Li, C. T., 2300, 2310; Shim, S. E., 2630; Yun, J., 434
Ishii, H. See Mitani, T., 2988
Ishikawa, T.
—; Ohkawa, T.; Suzuki, M.; Tsuchiya, T.; Takeda, K.: Semiquantitative Analysis of the Thermal Degradation of Polypropylene, 1465
Işık, B. See Yıldız, B., 2028
Ismail, A. F.
—; Yean, L. P.: Review on the Development of Defect-Free and Ultrathin-Skinned Asymmetric Membranes for Gas Separation through Manipulation of Phase Inversion and Rheological Factors, 442
Issa, R. M. See Abou-El-Sherbini, K., 3159
Ito, H. See Kitayama, T., 2875
Iwata, M.
—; Adachi, T.; Tomidokoro, M.; Ohta, M.; Kobayashi, T.: Hybrid Sol–Gel Membranes of Polyacrylonitrile–Tetraethoxysilane Composites for Gas Permselectivity, 1752

Jagannath, J. H.
—; Nanjappa, C.; Das Gupta, D. K.; Bawa, A. S.: Mechanical and Barrier Properties of Edible Starch–Protein-Based Films, 64
Jagtap, R. N. See Raghu, P., 266
Jain, R. C. See Srinivasa Rao, G. S., 2173
Jaiswal, D. K. See Dubey, V., 1760
James, N. R. See Lakshmi, S., 2580
Jana, R. N.
—; Nando, G. B.: Chemorheological Study of Compatibilized Blends of Low-Density Polyethylene and Polydimethyl Siloxane Rubber, 2810
Janes, K. A.
—; Alonso, M. J.: Depolymerized Chitosan Nanoparticles for Protein Delivery: Preparation and Characterization, 2769
Jang, J. See Kim, Y. H., 1567
Javni, I.
—; Zhang, W.; Petrović, Z. S.: Effect of Different Isocyanates on the Properties of Soy-Based Polyurethanes, 2912
Jayakrishnan, A. See Lakshmi, S., 2580
Jeon, J.-Y.
—; Preparation of Novel Copoly(bis [4-(3-aminophenoxy)-phenyl]sulfone/3,3′,4,4′-benzophenonetetracarboxyl/pyromellite)imide Derivatives, 853
Jérôme, C. See Leroy, D., 352
Jérôme, R. See Leroy, D., 352
Jhon, M. S. See Kim, C. A., 1836
Ji, B. C. See Lyoo, W. S., 1482, 1858
Ji, X.-L.
—; Jiang, S.-C.; Qiu, X.-P.; Dong, D.-W.; Yu, D.-H.; Jiang, B.-Z.: Structure and Properties of Hybrid Poly(2-hydroxyethyl methacrylate)/SiO_2 Monoliths, 3168
Jian, X. See Xuan, Y., 1111
Jiang, B.-Z. See Ji, X.-L., 3168
Jiang, S.-C. See Ji, X.-L., 3168
Jiang, X. See Xiang, D., 1350
Jiao, J.-L. See You, Y.-C., 2725
Jin, R. See Wang, X., 3110
Jin, X. See Teng, H., 536
Jin, Y. See Li, X.-G., 1065
Jing, X. B. See Wang, G., 50
Jones, A. S.
—; Wright, T.; Smook, M. A.; Harwood, H. J.: Enhancement of the High-Temperature Utility of a Polystyrene-*b*-Poly(ethylene-*co*-butylene)-*b*-Polystyrene Block Copolymer by Friedel–Crafts Naphthoylation, 1289
Joo, J.-S. See Lee, C.-S., 258
Joseph, K. See Joseph, P. V., 602
Joseph, P. V.
—; Mathew, G.; Joseph, K.; Thomas, S.; Pradeep, P.: Mechanical Properties of Short Sisal Fiber-Reinforced Polypropylene Composites: Comparison of Experimental Data with Theoretical Predictions, 602
Jost, N. See Karger-Kocsis, J., 2124
Jou, C.-H. See Hu, S.-G., 2797
Jung, W.-C.
—; Park, K.-Y.; Kim, J.-Y.; Suh, K.-D.: Evaluation of Isocyanate Functional Groups as a Reactive Group in the Reactive Compatibilizer, 2622

Kaise, T. See Iijima, T., 1
Kalay, C. R. See Kalay, G., 806, 814
Kalay, G.
—; Kalay, C. R.: Compounding and Injection Molding of Polybutene-1/Polypropylene Blends, 806
—; Kalay, C. R.: Structure and Physical Property Relationships in Processed Polybutene-1, 814
Kalfoglou, N. K. See Archondouli, P. S., 612
Kallitsis, J. K. See Archondouli, P. S., 612
Kameda, M.
—; Sumaru, K.; Kanamori, T.; Shinbo, T.: Photoresponse Gas Permeability of Azobenzene-Functionalized Glassy Polymer Films, 2068
Kanamori, T. See Kameda, M., 2068
Kander, R. G. See Martin, J. P., 1196
Kandola, B. K.
—; Horrocks, A. R.; Myler, P.; Blair, D.: New Developments in Flame Retardancy of Glass-Reinforced Epoxy Composites, 2511
Kang, E.-G. See Kim, S. H., 595
Kang, H.
—; Xie, J.: Effect of Concentration and pH of Solutions on the Absorbency of Polyacrylate Superabsorbents, 494
Kang, H.-D. See Choi, S.-H., 1153
Kang, J. S.
—; Lee, S. H.; Huh, H.; Shim, J. K.; Lee, Y. M.: Preparation of Chlorinated Poly(vinyl chloride)-*g*-Poly(*N*-vinyl-2-pyrrolidinone) Membranes and Their Water Permeation Properties, 3188
Kang, M.-S. See Choi, Y.-J., 1488
Kang, T. J. See Lee, K. S., 500
Kang, Y. A.
—; Kim, K. H.; Lee, Y. H.; Lee, J. O.; Cho, H. H.: Structural Development of Poly(ethylene 2,6-naphthalene dicarboxylate) Film upon Solvent Drawing, 1357
—; Lee, Y. H.: Study on the Structure of Nylon 6 Films Iodinated Before Forming. I. Comparison

with the Film Iodinated After Forming, 1138
Kaplan, M. A. C. See da Silva, E. P., 293
Kar, S. B. See Ghosh, P., 2550
Karger-Kocsis, J.
—; Gryshchuk, O.; Jost, N.: Toughness Response of Vinylester/Epoxy-Based Thermosets of Interpenetrating Network Structure as a Function of the Epoxy Resin Formulation: Effects of the Cyclohexylene Linkage, 2124
Kariduraganavar, M. Y.
—; Kulkarni, S. B.; Aminabhavi, T. M.: Molecular Transport of Esters, Aldehydes, Aromatic Liquids, and a Ketone into Fluoroelastomer Membrane at 30, 40, and 50°C, 840
Karjalainen, T. See Ahola, N., 1279
Karkanas, P. I. See Challis, R. E., 1665
Kartalis, C. N.
—; Papaspyrides, C. D.; Pfaendner, R.: Closed-Loop Recycling of Postused PP-Filled Garden Chairs Using the Restabilization Technique. Part 2: Material Performance during Accelerated Heat Aging, 3033
Katherine, B. K. See Devasia, R., 915
Kaur, M. See Brar, A. S., 3005
Kawakami, T. See Mitani, T., 2988
Kawase, T. See Sawada, H., 3212
Kazeminejad, H.
—; Thin Copper Foil Heater for Measuring the Thermal Conductivity of Polymers, 2823
Ke, T.
—; Sun, X. S.: Thermal and Mechanical Properties of Poly(lactic acid)/Starch/Methylenediphenyl Diisocyanate Blending with Triethyl Citrate, 2947
Ke, Y. See Ma, Z., 466; Mi, X., 3273
Keen, I.
—; George, G. A.; Fredericks, P. M.: Selective Plasma-Induced Grafting of Polystyrene onto Polyolefin Blends, 1643
Kenawy, I. M. M. See Abou-El-Sherbini, K., 3159
Kennedy, J. P. See Fang, Z., 1516
Kenny, J. M. See Nuñez, A. J., 1420; Puglia, D., 452
Keramopoulos, A.
—; Kiparissides, C.: Mathematical Modeling of Diffusion-Controlled Free-Radical Terpolymerization Reactions, 161
Keshavarz, S. See Mehdipour-Ataei, S., 2168
Khairou, K. S.
—; El-Sayed, A.: Inhibition Effect of Some Polymers on the Corrosion of Cadmium in a Hydrochloric Acid Solution, 866
Khalil, E. M. See El-Naggar, A. M., 1129
Khorasani, M. T. See Fallahi, D., 2522
Kicko-Walczak, E.
—; Kinetics of Thermal Decomposition of Unsaturated Polyester Resins with Reduced Flammability, 2851
Kikic, I. See Alessi, P., 2189
Kikutani, T. See Kitayama, T., 2875
Kim, B. C. See Lim, K. Y., 131; Lyoo, W. S., 1858
Kim, B. J.
—; White, J. L.: Continuous Polymerization of Lactam–Lactone Block Copolymers in a Twin-Screw Extruder, 1429
Kim, B. Y.
—; Lee, J. S.; Lee, M. C.; Yoon, K. S.: Polyurethane–Poly(methyl methacrylate) Block Copolymer Dispersions Through Polyurethane Macroiniferters, 1971
Kim, C. A.
—; Jhon, M. S.; Choi, H. J.: Scaling Functions of Polymer-Induced Turbulent Drag Reduction Focusing on the Polymer-Solvent Interaction, 1836
Kim, D.-H.
—; Ha, K.-S.; Rhee, H.-K.; Song, K. H.: Modeling and Analysis of a Gas Sweeping Process for Polycarbonate Polymerization, 1010
—; Na, S.-K.; Park, J.-S.: Preparation and Characterization of Modified Starch-Based Plastic Film Reinforced with Short Pulp Fiber. II. Mechanical Properties, 2108
—; Na, S.-K.; Park, J.-S.: Preparation and Characterization of Modified Starch-Based Plastic Film Reinforced with Short Pulp Fiber. I. Structural Properties, 2100
Kim, D.-W. See Kim, S. H., 595
Kim, H.-J. See Kim, S. H., 595
Kim, I. Y. See Kim, S. J., 1346, 2570, 2719, 2721
Kim, J. H. See Ghim, H. D., 2369; Lyoo, W. S., 832, 1482, 1858
Kim, J. P. See Ghim, H. D., 2369
Kim, J.-Y. See Jung, W.-C., 2622
Kim, J. Y. See Lee, J. S., 2224
Kim, K. H. See Kang, Y. A., 1357
Kim, K.-Y. See Park, Y. H., 139
Kim, M. J. See Koo, C. M., 1526
Kim, S. C. See Lee, J. S., 2224
Kim, S.-G.
—; Kim, Y.-I.; Yun, H.-G.; Lim, G.-T.; Lee, K.-H.: Preparation of Asymmetric PVA Membranes Using Ternary System Composed of Polymer and Cosolvent, 2884
Kim, S. H.
—; Son, W. K.; Kim, Y. J.; Kang, E.-G.; Kim, D.-W.; Park, C. W.; Kim, W.-G.; Kim, H.-J.: Synthesis of Polystyrene/Poly(butyl acrylate) Core–Shell Latex and Its Surface Morphology, 595
—; See Oh, K. W., 1225; Yun, J., 434
Kim, S. I. See Kim, S. J., 1346, 2570, 2719, 2721
Kim, S. J.
—; Lee, K. J.; Lee, S. M.; Kim, I. Y.; Lee, Y. M.; Kim, S. I.: Thermal Characteristics of IPNs Composed of Poly(propylene glycol) and Poly(acrylic acid), 2570
—; Shin, S. R.; Lee, S. M.; Kim, I. Y.; Kim, S. I.: Water and Temperature Response of Semi-IPN Hydrogels Composed of Chitosan and Polyacrylonitrile, 2721
—; Yoon, S. G.; Lee, Y. M.; Kim, I. Y.; Kim, S. I.: Erratum to "Thermal Properties of Poly(vinyl alcohol)/Poly(diallyldimethylammonium chloride) Interpenetrating Polymer Networks", 2719
—; Yoon, S. G.; Lee, Y. M.; Kim, I. Y.; Kim, S. I.: Thermal Properties of Poly(vinyl alcohol)/Poly(diallyldimethylammonium chloride) Interpenetrating Polymer Networks, 1346
Kim, S. O. See Koo, C. M., 1526
Kim, S. S. See Ghim, H. D., 2369; Lyoo, W. S., 1482, 1858
Kim, W.-G. See Kim, S. H., 595
Kim, Y. H.
—; Nam, C. W.; Choi, J. W.; Jang, J.: Durable Antimicrobial Treatment of Cotton Fabrics Using *N*-(2-Hydroxy)propyl-3-trimethylammonium Chitosan Chloride and Polycarboxylic Acids, 1567
Kim, Y.-I. See Kim, S.-G., 2884
Kim, Y. J. See Kim, S. H., 595
Kim, Y. S. See Park, B.-D., 2677
Kimura, K. See Sarker, A. K., 1320

King, J. A. See Clingerman, M. L., 2280; Weber, E. H., 112, 123
Kingshott, P. See Tshabalala, M. A., 2828
Kiparissides, C. See Keramopoulos, A., 161
Kış, M. See Yıldız, B., 2028
Kitayama, T.
—; Utsumi, S.; Hamada, H.; Nishino, T.; Kikutani, T.; Ito, H.: Interfacial Properties of PP/PP Composites, 2875
Klein, A. See Mohd Ghazaly, H., 42; Tang, J., 30
Klumperman, B. See Graef, S. M., 2530; Van Zyl, A. J. P., 2539
Kobayashi, T. See Iwata, M., 1752
Koerner, H. See Nguyen, L. H., 1399
Koh, S.-K. See Lee, C.-S., 258
Kohl, P. A. See Wu, X., 1186
Kolařík, J.
—; Pegoretti, A.; Fambri, L.; Penati, A.: Prediction of Nonlinear Long-Term Tensile Creep of Heterogeneous Blends: Rubber-Toughened Polypropylene–Poly(styrene-*co*-acrylonitrile), 641
Komura, T. See Okubo, M., 428
Könczöl, L. See Schröder, N., 1040
König, P. G. See Goyanes, S. N., 883
Konno, K. See Sugita, H., 636
Kontou, E.
—; Spathis, G.: Interrelation Between Long-Term Viscoelasticity and Viscoplastic Responses of Semicrystalline Polymers, 1942
Koo, C. M.
—; Kim, M. J.; Choi, M. H.; Kim, S. O.; Chung, I. J.: Mechanical and Rheological Properties of the Maleated Polypropylene–Layered Silicate Nanocomposites with Different Morphology, 1526
Koo, K. See Ghim, H. D., 2369
Kothandaraman, H. See Balaji, R., 2468
Król, P.
—; Wojturska, J.: Kinetic Study on the Reaction of 2,4- and 2,6-Tolylene Diisocyanate with 1-Butanol in the Presence of Styrene, as a Model Reaction for the Process that Yields Interpenetrating Polyurethane–Polyester Networks, 327
Kruczek, B.
—; Matsuura, T.: Effect of Solvent on Properties of Solution-Cast Dense SPPO Films, 1100
Kuan, H.-C. See Ma, C.-C. M., 1686
Kulesza, K. See Pielichowski, K., 2319
Kulkarni, S. B. See Kariduraganavar, M. Y., 840
Kumar, B. See Ghosh, A., 2377
Kumar, R. See Bajaj, P., 1211
Kumar, V. See Bhardwaj, Y. K., 730
Kume, T. See Suhartini, M., 2238
Kunsawat, C. See Chuayjuljit, S., 848
Kuo, C.-T. See Ma, C.-C. M., 1686
Kuo, Y.-D. See Narsimlu, N., 3183
Kuthe, S. See Dubey, V., 1760
Kweon, H. Y.
—; Yoo, M.-K.; Lee, J.-H.; Wee, W.-R.; Han, Y.-G.; Lee, K.; Cho, C.-S.: Preparation of a Novel Poloxamer Hydrogel, 2670
Kwon, O. H.
—; Nho, Y. C.; Chen, J.: Surface Modification of Polypropylene Film by Radiation-Induced Grafting and Its Blood Compatibility, 1726

Lai, J.-Y. See Fan, S.-C., 2688
Lakshmi, M. S.
—; Srividhya, M.; Reddy, B. S. R.: A Study on the Effect of New Cyanate and Phenoxy Polymer on TGDDM/DDS/GMP Formulations, 2963
Lakshmi, S.
—; James, N. R.; Nisha, V. S.; Jayakrishnan, A.: Synthesis and Polymerization of a New Iodine-Containing Monomer, 2580
Lankford, A. R. See Chiou, B.-S., 3218
Lawton, J. See Garlotta, D., 1775
Lazzaroni, M. J. See Ngo, T. T., 522
Łęcka, J. See Czarnecki, R., 3084
Lederer, K. See Nguyen, L. H., 1399
Lee, C.-F.
—; The Characteristic Properties of Poly(methyl methacrylate)/Polystyrene Core-Shell Composite Polymer Latex, 312
Lee, C. J. See Lyoo, W. S., 832
Lee, C.-S.
—; Han, S.; Beag, Y.-W.; Joo, J.-S.; Koh, S.-K.: Improvement of Adhesion Between Polyaniline and Ion-Assisted-Reaction-Treated Polypropylene, 258
Lee, D. J. See Li, C. T., 2310
Lee, D.-K. See Tsai, H.-B., 750
Lee, H. K. See Lee, J. S., 2224
Lee, I. J.
—; Choi, H. W.; Nho, Y. C.; Suh, D. H.: Gamma-Ray Irradiation Effect of Polyethylene on Dimaleimides as a Class of New Multifunctional Monomers, 2339
Lee, J. See Lyoo, W. S., 832, 1482, 1858
Lee, J.-H. See Kweon, H. Y., 2670
Lee, J.-I. See Yu, L., 1550
Lee, J. O. See Kang, Y. A., 1357
Lee, J. S.
—; Lee, H. K.; Kim, J. Y.; Hyon, S.-H.; Kim, S. C.: Thermally Induced Phase Separation in Poly(lactic acid)/Dialkyl Phthalate Systems, 2224
—; See Kim, B. Y., 1971
Lee, J. Y. See Lyoo, W. S., 832, 1482
Lee, K. See Kweon, H. Y., 2670
Lee, K.-H. See Kim, S.-G., 2884
Lee, K. J. See Kim, S. J., 2570
Lee, K.-P. See Choi, S.-H., 1153
Lee, K.-R. See Fan, S.-C., 2688
Lee, K. S.
—; Lee, S. W.; Chung, K.; Kang, T. J.; Youn, J. R.: Measurement and Numerical Simulation of Three-Dimensional Fiber Orientation States in Injection-Molded Short-Fiber-Reinforced Plastics, 500
Lee, L. M. S. See Leong, Y. C., 2118
Lee, M. C. See Kim, B. Y., 1971
Lee, R.-S.
—; Yang, J.-M.: Synthesis and Characterization of Degradable Copoly(*trans*-4-hydroxy-L-proline/ϵ-caprolactone), 3176
Lee, S. H. See Kang, J. S., 3188
Lee, S. M. See Kim, S. J., 2570, 2721
Lee, S. W. See Lee, K. S., 500
Lee, Y. H. See Kang, Y. A., 1138, 1357
Lee, Y. M. See Kang, J. S., 3188; Kim, S. J., 1346, 2570, 2719
Leng, Y. See Wang, Y., 1049
Leong, Y. C.
—; Lee, L. M. S.; Gan, S. N.: The Viscoelastic Properties of Natural Rubber Pressure-Sensitive Adhesive Using Acrylic Resin as a Tackifier, 2118
Leroy, D.
—; Martinot, L.; Mignonsin, P.; Strivay, D.; Weber, G.; Jérôme, C.; Jérôme, R.: Complexation of Uranyl Ions by Polypyrrole Doped by Sulfonated and Phosphonated Polyethyleneimine, 352
Lesser, A. J. See Caskey, T. C., 1600; Raman, A., 550
Leu, T.-S.
—; Wang, C.-S.: Synthesis and Characterization of Copolyimides with High Solubility, 1963
Levi, M. See Barni, A., 716

Li, C.
—; Li, W.; Wang, H.; Zhang, D.; Li, Z.: Effects of Rosin-Type Nucleating Agent and Low Density Polyethylene on the Crystallization Process of Polypropylene, 2804
Li, C.-L. See Fan, S.-C., 2688
Li, C. T.
—; Isayev, A. I.: Interface Development and Encapsulation in Simultaneous Coinjection Molding. I. Two-Dimensional Modeling and Formulation, 2300
—; Lee, D. J.; Isayev, A. I.: Interface Development and Encapsulation in Simultaneous Coinjection Molding of Disk. II. Two-Dimensional Simulation and Experiment, 2310
Li, G. See Wang, Y., 1049
Li, H. See Elmaghor, F., 2756; Hu, G.-H., 1799; Wang, X., 3110
Li, L. See Xu, N., 79; You, X., 627
Li, M.
—; Hu, Z.; Chen, G.; Chen, X.: Phase Behavior of Side-Chain Liquid-Crystalline Elastomers and Their Precursors Containing *para*-Nitro Azobenzene, 2275
Li, N. See Tang, X., 1121
Li, P.
—; Zheng, J. P.; Ma, Y. L.; Yao, K. D.: Gelatin/Montmorillonite Hybrid Nanocomposite. II. Swelling Behavior, 322
Li, Q.
—; Matuana, L. M.: Foam Extrusion of High Density Polyethylene/Wood-Flour Composites Using Chemical Foaming Agents, 3139
—; Matuana, L. M.: Surface of Cellulosic Materials Modified with Functionalized Polyethylene Coupling Agents, 278
Li, R. K. Y. See Zhou, X. P., 1055
Li, R. Y. See Zhao, B. Y., 12
Li, S. See Xie, B., 398
Li, W.
—; Yan, D.: Synthesis and Characterization of Nylons Based on Hexadecane Diacid, 2462
—; See Li, C., 2804
Li, W. L. See Zhang, X., 1563
Li, X.-G.
—; Huang, M.-R.; Zhu, Z.-L.; Jin, Y.; Wang, X.-S.: Structure and Thermal Degradation of Poly(*N*-phenyl acrylamide) and Poly(*N*-phenyl methacrylamide), 1065
Li, Y.
—; Zhang, G.; Yan, D.: Synthesis and Crystallization Behavior of Nylon 12,14. I. Preparation and Melting Behavior, 1581
—; Zhang, G.; Zhu, X.; Yan, D.: Isothermal and Nonisothermal Crystallization Kinetics of Partially Melting Nylon 10 12, 1311
—; Zhang, Y.; Zhang, Y.: Mechanical Properties of High-Density Polyethylene/Scrap Rubber Powder Composites Modified with Ethylene–Propylene–Diene Terpolymer, Dicumyl Peroxide, and Silicone Oil, 2020
—; See Ma, Y., 1622; Yang, L., 201
Li, Z.
—; Zhuang, X.; Liu, X.; Guan, Y.; Yao, K.: Rheological Study on *O*–Carboxymethylated Chitosan/Cellulose Polyblends from LiCl/*N*,*N*-Dimethylacetamide Solution, 1719
—; See Deng, X., 2194; Li, C., 2804; Xie, B., 398; You, Y.-C., 2725
Li, Z. M. See Huang, Z. H., 2858
Liang, G. See Xu, W., 3093, 3225
Liang, X. See Guo, Y., 652
Liao, H.-T.
—; Wu, C.-S.: Study on the Properties of Polyethylene–Octene Elastomer/Wood Flour Blends, 1919
—; See Wu, C.-S., 966
Liaw, D.-J. See Fan, S.-C., 2688
Lim, G.-T. See Kim, S.-G., 2884
Lim, K. P. See Park, B.-D., 2677
Lim, K. Y.
—; Kim, B. C.; Yoon, K. J.: Structural and Physical Properties of Biodegradable Copolyesters from Poly(ethylene terephthalate) and Polycaprolactone Blends, 131
Lim, S. K.
—; Inagaki, N.: Surface Modification of Thermotropic Poly(oxybenzoate-*co*-oxynaphthoate) Copolyester by Remote Oxygen Plasma for Copper Metalization, 2400
Lin, C. H.
—; Chiang, J. C.; Wang, C. S.: Low Dielectric Thermoset. I. Synthesis and Properties of Novel 2,6-Dimethyl phenol-dicyclopentadiene Epoxy, 2607
Lin, L.-H. See Liu, H.-J., 1236
Lin, S. See Lu, S., 1536
Lin, X. D.
—; Cheung, W. L.: Study on PET/PP Microfibrillar Composites. I. Morphological Development in Melt Extrusion, 3100
Lin, Z. See Mai, K., 2139; Qiu, Y., 2148
Lindberg, H. See Liu, X., 953
Lindström, M. See Berggren, R., 1170
Liotta, C. L. See Ngo, T. T., 522
Lipatov, Y. S. See Shumsky, V. F., 1911
Liu, G.
—; Zhang, L.; Yao, Y.; Yang, L.; Gao, J.: Glass-Transition Temperatures and Rheological Behavior of Methyl Methacrylate–Styrene Random Copolymers, 2891
—; See Yang, L., 201
Liu, H.-J.
—; Lin, L.-H.; Chen, K.-M.: Preparation and Properties of Water-Soluble Polyester Surfactants. III. Preparation and Wetting Properties of Polyethylene Glycol–Polydimethylsiloxane Polyester Surfactants, 1236
Liu, J. See Dai, Q., 2732
Liu, P. See Dai, W., 2784
Liu, W.
—; Wang, Y.-J.; Sun, Z.: Effects of Polyethylene-Grafted Maleic Anhydride (PE-g-MA) on Thermal Properties, Morphology, and Tensile Properties of Low-Density Polyethylene (LDPE) and Corn Starch Blends, 2904
Liu, X.
—; Wu, Q.; Berglund, L. A.; Lindberg, H.; Fan, J.; Qi, Z.: Polyamide 6/Clay Nanocomposites Using a Cointercalation Organophilic Clay via Melt Compounding, 953
—; See Li, Z., 1719
Ljungberg, N.
—; Andersson, T.; Wesslén, B.: Film Extrusion and Film Weldability of Poly(lactic acid) Plasticized with Triacetine and Tributyl Citrate, 3239
Lo Faro, C. See Blanco, I., 3021
Lo Nostro, P.
—; Fratoni, L.; Ridi, F.; Baglioni, P.: Surface Treatments on Tencel Fabric: Grafting with β-Cyclodextrin, 706
Long, J.
—; Tzoganakis, C.; Chen, P.: Surface Characteristics of Hydrosilylated Polypropylene, 3117
Lorenzo, V. See Zamfirova, G., 1794

Lourdin, D. See Riquet, A.-M., 990
Lu, D. See Guan, R., 1956
Lu, J. See Tang, X., 1121; Zhu, X., 1787
Lu, L. See Ma, W., 2868
Lu, M.-C. See Chan, W.-C., 3248
Lu, S.
—; Duan, M.; Lin, S.: Synthesis of Superabsorbent Starch-*graft*-Poly(potassium acrylate-*co*-acrylamide) and Its Properties, 1536
Lu, Y.
—; Zhang, L.: Effects of NCO/OH Molar Ratio on Miscibility and Properties of Semiinterpenetrating Polymer Networks from Polyurethane and Benzyl Konjac Glucomannan, 1304
Lui, P. See Dai, W., 2791
Lyoo, W. S.
—; Park, C. S.; Kim, J. H.; Ghim, H. D.; Lee, J. Y.; Lee, J.; Lee, C. J.: Synthesis of Syndiotacticity-Rich High Molecular Weight Poly(vinyl alcohol) by Suspension Polymerizaiton of Vinyl Pivalate and Saponification, 832
—; Seo, I. S.; Ji, B. C.; Kim, J. H.; Kim, S. S.; Ghim, H. D.; Kim, B. C.; Lee, J.: Role of the Stereosequences of Poly(vinyl alcohol) in the Rheological Properties of Syndiotacticity-Rich Poly(vinyl alcohol)/Water Solutions, 1858
—; Yeum, J. H.; Ji, B. C.; Ghim, H. D.; Kim, S. S.; Kim, J. H.; Lee, J. Y.; Lee, J.: Preparation of Water-Soluble Syndiotacticity-Rich High Molecular Weight Poly(vinyl alcohol) Microfibrillar Fibers Using Copolymerization of Vinyl Pivalate and Vinyl Acetate and Saponification, 1482
—; See Ghim, H. D., 2369
Lyu, M.-Y.
—; Pae, Y.: Bottom Design of Carbonated Soft Drink Poly(ethylene terephthalate) Bottle to Prevent Solvent Cracking, 1145

Ma, C.-C. M.
—; Kuo, C.-T.; Kuan, H.-C.; Chiang, C.-L.: Effects of Swelling Agents on the Crystallization Behavior and Mechanical Properties of Polyamide 6/Clay Nanocomposites, 1686
Ma, G.
—; Fang, Z.; Xu, C.: Phase Dispersion–Crosslinking Synergism in Binary Blends of Poly(vinyl chloride) with Low-Density Polyethylene: Entrapping Phenomenon in PVC/LDPE/DCP Blend, 1296
Ma, T.
—; Bhushan, B.: Technique Development and Measurement of Poisson's Ratio, Lateral Creep Behavior, and Thermal and Hygroscopic Expansion of Individual Layers in Magnetic Tapes, 2082
Ma, W.
—; Lu, L.; Yang, X.; Wang, X.: Catalytic Polymerization of Maleic Anhydride, 2868
Ma, Y.
—; Zheng, X.; Shi, F.; Li, Y.; Sun, S.: Synthesis of Poly(dodecyl methacrylate)s and Their Drag-Reducing Properties, 1622
Ma, Y. L. See Li, P., 322
Ma, Z.
—; Ke, Y.; Wang, H.; Guo, C.; Zhang, M.; Sun, W.-H.; Hu, Y.: Ethylene Polymerization with a Silica-Supported Iron-Based Diimine Catalyst, 466
—; See Mi, X., 3273
Madras, G. See Chattopadhyay, S., 2818
Mahdavinia, G. R. See Pourjavadi, A., 2048
Mai, K.
—; Qiu, Y.; Lin, Z.: Mechanical Properties of $Mg(OH)_2$/Polypropylene Composites Modified by Functionalized Polypropylene, 2139
—; Wang, K.; Zeng, H.: Multiple Melting Behavior of Nucleated Polypropylene (Note), 1608
—; See Qiu, Y., 2148
Mai, Y.-W. See Fu, S.-Y., 1497
Mai, Y. W. See Tjong, S. C., 1384
Maio, A. See Martins, J. A., 2706, 2714
Maity, A.
—; Biswas, M.: A Nanocomposite of Poly(*N*-vinylcarbazole) with Nanodimensional Alumina, 2233
Majeste, J.-C. See Chen, J., 1376
Mamunya, Y. P. See Zois, H., 3013
Mandal, P. K.
—; Bandyopadhyay, D.; Chakrabarty, D.: Studies on Morphology, Mechanical, Thermal, and Rheological Behavior of Extrusion-Blended Polypropylene and Thermotropic Liquid Crystalline Polymer, 767
Mandrand, B. See D'Agosto, F., 1808
Manolache, S. See Alvarez, S., 369
Manrich, S. See Danella, O. J., Jr., 2346; Santana, R. M. C., 2861
Mansour, A. F. See El-Shaarawy, M. G., 793
Mantecón, A. See Ruiz, J., 3026
Marco, C.
—; Ellis, G.; Gómez, M. A.; Arribas, J. M.: Analysis of the Isothermal Crystallization of Isotactic Polypropylene Nucleated with Sorbitol Derivatives, 2261
Marconi, J. D. See Goyanes, S. N., 883
Marcovich, N. E. See Nuñez, A. J., 1420
Marion, C. See Soulounganga, P., 743
Martin, J. P.
—; Kander, R. G.: Mechanical Properties of a Cryogenically Mechanically Alloyed Polycarbonate–Poly(aryl ether ether ketone) System, 1196
Martínez, R. See Barroso-Bujans, F., 302
Martínez-Vázquez, D. G.
—; Medellín-Rodríguez, F. J.; Phillips, P. J.; Sanchez-Valdes, S.: Heterogeneous Nucleation of Nylon 6 and PET with Selected Inorganic Compounds, 360
Martinot, L. See Leroy, D., 352
Martins, J. A.
—; Seixas, J.; Oliveira, M. J.; Maio, A.; Pouzada, A. S.: Optical Properties of Injection-Molded Polystyrene Scintillators. II. Distribution of Dopants, 2714
—; Seixas, J.; Silva, J.; Esteves, V.; Oliveira, M. J.; Gomes, J.; Maio, A.; Pouzada, A. S.: Optical Properties of Injection-Molded Polystyrene Scintillators. I. Processing and Optical Properties, 2706
Mathew, G. See Joseph, P. V., 602
Matsuguchi, M.
—; Sakurada, K.; Sakai, Y.: Effect of Crosslinked Structure on SO_2 Gas Sorption Properties in Amino-Functional Copolymers, 2982
Matsumoto, M. See Yoshikawa, M., 183
Matsu-ura, N. See Suzuki, K., 878
Matsuura, T. See Kruczek, B., 1100; Zhang, L., 3132

Matuana, L. M. See Li, Q., 278, 3139; Rachtanapun, P., 2842
Matzinos, P. See Tserki, V., 1825
Mauler, R. S. See Nachtigall, S. M. B., 2492
Mavrin, M. See Shuvalov, M., 1543
Mazzroua, A. See Gomaa, E., 3078
McCarney, J. See Ngo, T. T., 522
McCarthy, T. J. See Caskey, T. C., 1600
McCord, M. G.
—; Hwang, Y. J.; Qiu, Y.; Hughes, L. K.; Bourham, M. A.: Surface Analysis of Cotton Fabrics Fluorinated in Radio-Frequency Plasma, 2038
McKenna, G. B. See Alcoutlabi, M., 226
Medellín-Rodríguez, F. J. See Martínez-Vázquez, D. G., 360
Mehdipour-Ataei, S.
—; Keshavarz, S.: Use of New Diimide–Dinaphthols in Preparation of Novel Thermally Stable Poly(ester–imide)s, 2168
Mélis, F. See D'Agosto, F., 1808
Melis, F. See Shumsky, V. F., 1911
Mendes, L. C.
—; Miranda, F. C.; Ferreira, A. F.; Dias, F. M.; Garcia, M. E. F.: Influence of the Preparation on the Mechanical, Thermal, and Gas Permeation Properties of Polypropylene/Oligopinene Thin Films, 2253
Mequanint, K.
—; Sanderson, R.: Self-Assembling Metal Coatings from Phosphated and Siloxane-Modified Polyurethane Dispersions: An Analysis of the Coating–Air Interface, 893
—; Sanderson, R.; Pasch, H.: Adhesion Properties of Phosphate- and Siloxane-Containing Polyurethane Dispersions to Steel: An Analysis of the Metal–Coating Interface, 900
Merino, J. C. See García-López, D., 947
Mi, X.
—; Ma, Z.; Cui, N.; Wang, L.; Ke, Y.; Hu, Y.: Vinyl Polymerization of Norbornene with Dinuclear Diimine Nickel Dichloride/MAO, 3273
Mignonsin, P. See Leroy, D., 352
Mimaroglu, A. See Unal, H., 1694
Minami, H. See Okubo, M., 428
Miranda, F. C. See Mendes, L. C., 2253
Mirza, M. S. See Taraiya, A. K., 1268
Mirzadeh, H. See Fallahi, D., 2522
Mishima, S.
—; Nakagawa, T.: Characterization of Graft Polymerization of Fluoroalkyl Methacrylate onto PDMS Hollow-Fiber Membranes and Their Permselectivity for Volatile Organic Compounds, 1573
Mishra, S.
—; Patil, Y. P.: Compatibilizing Effect of Different Anhydrides on Cane Bagasse Pith and Melamine–Formaldehyde-Resin Composites, 1768
Mitani, T.
—; Kawakami, T.; Morishita, M.; Adachi, Y.; Ishii, H.: Effect of Copper Adsorption on the Mechanical Properties of Chitosan Beads, 2988
Mitomo, H. See Suhartini, M., 2238
Mochizuki, N. See Suzuki, A., 3279
Mohamed, M. See Gomaa, E., 3078
Mohanraj, J.
—; Chapleau, N.; Ajji, A.; Duckett, R. A.; Ward, I. M.: Fracture Behavior of Die-Drawn Toughened Polypropylenes, 1336
—; See Taraiya, A. K., 1268
Mohapatra, R. See Sahoo, P. K., 3196
Mohd Ghazaly, H.
—; Daniels, E. S.; Dimonie, V. L.; Klein, A.; Sperling, L. H.; El-Aasser, M. S.: Properties of *n*-Butyl Methacrylate Copolymer Latex Films Derived from Crosslinked Latex Particles, 42
Moon, C.-K. See Nam, K.-W., 1659
Moon, K.-S.
—; Fan, L.; Wong, C. P.: Enhancement of Antifillet Cracking Performance for No-Flow Underfill by Toughening Method, 2439
Moon, S.-H. See Choi, Y.-J., 1488
Morishita, M. See Mitani, T., 2988
Mosleh, S.
—; Gawish, S. M.: Synthesis and Characterization of Novel Grafted Amphoteric Poly(propylene) Fabrics, 2504
Mostafa, Kh. M.
—; El-Sanabary, A. A.: Graft Polymerization of Different Monomers onto Carbamated Starches Derived from Native and Hydrolyzed Starches, 959
Mou, L. See Adusei, G., 565
Mu, S. See Chen, C., 1218
Mukherjee, G. S. See Banerjee, M., 1627
Mülhaupt, R. See Schröder, N., 1040
Myler, P. See Kandola, B. K., 2511

Na, S.-K. See Kim, D.-H., 2100, 2108
Nachtigall, S. M. B.
—; Felix, A. H. O.; Mauler, R. S.: Blend Compatibilizers Based on Silane- and Maleic Anhydride–Modified Polyolefins, 2492
Nagasawa, N. See Suhartini, M., 2238
Nair, S. V. See Stephen, R., 2639
Nakagawa, T. See Mishima, S., 1573
Nakamura, N.
—; Yamaguchi, Y.; Endo, K.: Synthesis of High Molecular Weight Copolymer of Styrene and Butadiene Bearing High 1,4-*cis* Butadiene Unit from Copolymerization with $CpTiCl_3$/Methylaluminoxane Catalyst, 2942
Nam, C. W. See Kim, Y. H., 1567
Nam, K.-W.
—; Ahn, S.-H.; Moon, C.-K.: Fracture Behavior of Carbon Fiber Reinforced Plastics Determined by the Time–Frequency Analysis Method, 1659
Nando, G. B. See Jana, R. N., 2810
Nanjappa, C. See Jagannath, J. H., 64
Narbaitz, R. See Zhang, L., 3132
Narsimlu, N.
—; Kuo, Y.-D.; Wu, C.-G.: Small-Angle X-Ray Scattering Analysis of Nanophase Titanium Dioxide, Poly *N*-(4-sulfophenyl)aniline}, and Their Composite, 3183
Nazábal, J. See Guerrica-Echevarría, G., 998
Nazokdast, H. See Shariatpanahi, H., 54
Neagu, V.
—; Bunia, I.; Plesca, I.; Popa, M.: Synthesis of New Chelating Ion Exchange Resin with Hydroxamic and Amidoxime Groups and Study of Its Metal Binding Property, 2956
Neale, G. H. See Ng, W. L., 860
Nere, C. K. See Raghu, P., 266
Ng, W. L.
—; Rana, D.; Neale, G. H.; Hornof, V.: Physicochemical Behavior of Mixed Surfactant Systems: Petroleum Sulfonate and Lignosulfonate, 860
Ngo, T. T.
—; McCarney, J.; Brown, J. S.; Lazzaroni, M. J.; Counts, K.; Liotta, C. L.; Eckert, C. A.:

Surface Modification of Polybutadiene Facilitated by Supercritical Carbon Dioxide, 522
Nguyen, L. H.
—; Koerner, H.; Lederer, K.: Free Radical Co- and Terpolymerization of Styrene, Hydrogenated Cardanyl Acrylate, and Cardanyl Acetate, 1399
Nho, Y. C. See Kwon, O. H., 1726; Lee, I. J., 2339
Ni, S. See Xu, H., 1416
Nicholson, J. W. See Adusei, G., 565
Nicolais, L. See Ali, R., 1637
Niculescu, V. See Buruiana, E. C., 1203
Ninan, K. N. See Devasia, R., 915; Reghunadhan Nair, C. P., 908
Nisha, V. S. See Lakshmi, S., 2580
Nishikawa, M. See Sugita, H., 636
Nishino, T. See Kitayama, T., 2875
Nishiyama, S. See Sugita, H., 636
Nogueira, R. F.
—; Tavares, M. I. B.: High-Resolution Carbon Nuclear Magnetic Resonance Study of Styrene/α-Methylstyrene/Acrylonitrile Terpolymers, 1004
Nuñez, A. J.
—; Sturm, P. C.; Kenny, J. M.; Aranguren, M. I.; Marcovich, N. E.; Reboredo, M. M.: Mechanical Characterization of Polypropylene–Wood Flour Composites, 1420

Oh, K. W.
—; Park, H. J.; Kim, S. H.: Stretchable Conductive Fabric for Electrotherapy, 1225
Oh, S.-B.
—; Choi, Y.-K.; Cho, C.-S.: Thermoplastic Hydrogel Based on Pentablock Copolymer Consisting of Poly(γ-benzyl L-glutamate) and Poloxamer, 2649
Ohkawa, T. See Ishikawa, T., 1465
Ohta, M. See Iwata, M., 1752
Ohta, Y. See Sugita, H., 636
Okamoto, M.
—; DVD Substrate Application for Polycarbonate End-Capped with 4-α-Cumylphenol, 404
Okubo, M.
—; Minami, H.; Komura, T.: Preparation of Micrometer-Sized, Monodisperse, Magnetic Polymer Particles, 428
Oliveira, M. J. See Martins, J. A., 2706, 2714
Omidian, H. See Pourjavadi, A., 2048
Oommen, Z. See Stephen, R., 2639
Ortiz, P. See Barroso-Bujans, F., 302
Otaigbe, J. U. See Yudin, V. E., 3151
Ovsienko, V. See Shuvalov, M., 1543
Özçifçi, A. See Uysal, B., 531

Packirisamy, S. See Abraham, G., 1737
Padmanabhan, S. See Ramkumar, S. S., 2450
Pae, Y. See Lyu, M.-Y., 1145
Pakkanen, T. T. See Turunen, M., 582
Pan, W.-P. See Xu, W., 3093, 3225
Panayiotou, C. See Tserki, V., 1825
Papaspyrides, C. D.
—; Vouyiouka, S. N.; Bletsos, I. V.: New Process for the Production of Dry Hexamethylenediammonium Adipate, 1252
—; See Kartalis, C. N., 3033
Paradkar, R. P.
—; Sakhalkar, S. S.; He, X.; Ellison, M. S.: Estimating Crystallinity in High Density Polyethylene Fibers using Online Raman Spectroscopy, 545
Park, B.-D.
—; Kim, Y. S.; Singh, A. P.; Lim, K. P.: Reactivity, Chemical Structure, and Molecular Mobility of Urea–Formaldehyde Adhesives Synthesized Under Different Conditions Using FTIR and Solid-State ^{13}C CP/MAS NMR Spectroscopy, 2677
Park, C.-E. See Yu, L., 1550
Park, C. S. See Lyoo, W. S., 832
Park, C. W. See Kim, S. H., 595
Park, E.-S.
—; Yoon, J.-S.: Synthesis of Polyethylene-*graft*-Poly(styrene-*co*-maleic anhydride) and Its Compatibilizing Effects on Polyethylene/Starch Blends, 2007
—; Yoon, J.-S.: Synthesis of Polyethylene-*graft*-Poly(styrene-*co*-maleic anhydride) and Its Compatibilizing Effects on Polyethylene/Starch Blends, 2434
Park, H. J. See Oh, K. W., 1225
Park, J.-S. See Kim, D.-H., 2100, 2108
Park, K.-Y. See Jung, W.-C., 2622
Park, Y. H.
—; Kim, K.-Y.; Han, M. H.: Preparation and Properties of Highly Functional Copolyetheresters, 139
Partridge, I. K. See Challis, R. E., 1665
Pasa, V. M. D. See Araújo, R. C. S., 759
Pasch, H. See Graef, S. M., 2530; Mequanint, K., 900; Van Zyl, A. J. P., 2539
Passaglia, E. See Picchioni, F., 2698
Pastor, J. M. See García-López, D., 947
Patel, A. C.
—; Brahmbhatt, R. B.; Devi, S.: Mechanical Properties and Morphology of PP/ABS Blends Compatibilized with PP-*g*-2-HEMA, 72
Patil, Y. P. See Mishra, S., 1768
Patır, S. See Bulmuş, V., 2012
Pearce, E. M. See Pielichowski, K., 2319
Pegoretti, A. See Kolařík, J., 641
Penati, A. See Kolařík, J., 641
Peng, J.
—; Wei, G.; Zhang, Y.: Studies on Mechanical and Rheological Properties of Poly(Vinyl Chloride) Modified with Elastomers and Rigid Organic Particles, 2478
Peng, S. See Chen, C., 659
Peng, Z. See Yin, D., 775
Pereña, J. M. See Zamfirova, G., 1794
Pessan, L. A. See Bassani, A., 1081; Hu, G.-H., 1799
Petrović, Z. S. See Javni, I., 2912
Pezzin, A. P. T.
—; van Ekenstein, G. O. R. A.; Zavaglia, C. A. C.; ten Brinke, G.; Duek, E. A. R.: Poly(*para*-dioxanone) and Poly(1-lactic acid) Blends: Thermal, Mechanical, and Morphological Properties, 2744
Pfaendner, R. See Kartalis, C. N., 3033
Phillips, P. J. See Martínez-Vázquez, D. G., 360
Picchioni, F.
—; Casentini, E.; Passaglia, E.; Ruggeri, G.: Blends of SBS Triblock Copolymer with Poly(2,6-dimethyl-1,4-phenylene oxide)/Polystyrene Mixture, 2698
Pichot, C. See D'Agosto, F., 1808
Pielichowski, K.
—; Kulesza, K.; Pearce, E. M.: Thermal Degradation Studies on Rigid Polyurethane Foams Blown with Pentane, 2319
Pimpan, V.
—; Sirisook, R.; Chuayjuljit, S.: Synthesis of Unsaturated Polyester Resin from Postconsumer PET Bottles: Effect of Type of Glycol on

Characteristics of Unsaturated Polyester Resin, 788
Pisharath, See Chen, L., 3298
Pişkin, E. See Bulmuş, V., 2012
Pizzi, A. See Simon, C., 1889; Yin, S., 2416; Zanetti, M., 287
Plackett, D. See Tshabalala, M. A., 2828
Plesca, I. See Neagu, V., 2956
Podkościelny, W. See Wdowicka, D., 380
Popa, M. See Neagu, V., 2956
Popescu, M. C. See Bumbu, G., 2585
Potiyaraj, P. See Chuayjuljit, S., 848
Pourjavadi, A.
—; Mahdavinia, G. R.; Zohuriaan-Mehr, M. J.; Omidian, H.: Modified Chitosan. I. Optimized Cerium Ammonium Nitrate–Induced Synthesis of Chitosan-*graft*-Polyacrylonitrile, 2048
Pouzada, A. S. See Martins, J. A., 2706, 2714
Pradeep, P. See Joseph, P. V., 602
Price, G. J. See Ansari, D. M., 1951
Puglia, D.
—; Valentini, L.; Kenny, J. M.: Analysis of the Cure Reaction of Carbon Nanotubes/Epoxy Resin Composites Through Thermal Analysis and Raman Spectroscopy, 452

Qi, Z. See Liu, X., 953
Qian, H. See Wang, P., 680
Qin, Q. See Hua, Y., 1410
Qiu, X.-P. See Ji, X.-L., 3168
Qiu, Y.
—; Lin, Z.; Mai, K.: Fracture Morphology of $Mg(OH)_2$/Polypropylene Composites Modified by Functionalized Polypropylene, 2148
—; See Mai, K., 2139; McCord, M. G., 2038
Quilodrán, B. See Rivas, B. L., 2614
Quiroz, E. See Rivas, B. L., 2614

Rachtanapun, P.
—; Selke, S. E. M.; Matuana, L. M.: Microcellular Foam of Polymer Blends of HDPE/PP and Their Composites with Wood Fiber, 2842
Radomyselskiy, A. See Zhang, J., 1473
Raghu, P.
—; Nere, C. K.; Jagtap, R. N.: Effect of Styrene–Isoprene–Styrene, Styrene–Butadiene–Styrene, and Styrene–Butadiene–Rubber on the Mechanical, Thermal, Rheological, and Morphological Properties of Polypropylene/Polystyrene Blends, 266
Rahman, M. Z. A. See Abu-Ilaiwi, F. A., 2499
Rainio, J. See Turunen, M., 582
Rajarathnam, D. See Balaji, R., 2468
Rajasekharan Pillai, V. N. See Roice, M., 2897
Rajendran, V.
—; Gopalan, A.; Buvaneswari, R.; Vasudevan, T.; Wen, T.-C.: Deposition of Poly(diphenylamine-co-o-chloroaniline) by Pulse Potentiostatic Method: Growth Equation and Characterization, 389
Raju, K. V. S. N. See Stephen, R., 2639
Rakshit, A. K. See Shukla, U., 153
Raman, A.
—; Farris, R. J.; Lesser, A. J.: Effect of Stress State and Polymer Morphology on Environmental Stress Cracking in Polycarbonate, 550
Ramaswamy, R. See Abraham, G., 1737
Ramkumar, S. S.
—; Shastri, L.; Tock, R. W.; Shelly, D. C.; Smith, M. L.; Padmanabhan, S.: Experimental Study of the Frictional Properties of Friction Spun Yarns, 2450
Ramya, K.
—; Dhathathreyan, K. S.: Poly(phenylene oxide)-Based Polymer Electrolyte Membranes for Fuel-Cell Applications, 307
Rana, D. See Ng, W. L., 860
Rao, K. V. See Shukla, U., 153
Rao, U. M. See Sarathi, R., 2392
Ravikiran, R. See Wu, X., 1186
Ray, A. R. See Samal, S., 570
Reboredo, M. M. See Nuñez, A. J., 1420
Recca, A. See Blanco, I., 3021
Reddy, A. R. See Reddy, K. H., 414
Reddy, B. S. R. See Lakshmi, M. S., 2963
Reddy, K. H.
—; Reddy, A. R.: Removal of Heavy Metal Ions using the Chelating Polymers Derived by the Condensation of Poly(3-Hydroxy-4-acetylphenyl methacrylate) with Different Diamines, 414
Reed, H. A. See Wu, X., 1186
Reghunadhan Nair, C. P.
—; Ninan, K. N.: Rheological Cure Characterization of Phosphazene–Triazine Polymers, 908
—; See Devasia, R., 915
Rhee, H.-K. See Kim, D.-H., 1010
Rhodes, L. F. See Wu, X., 1186
Ribes-Greus, A. See Contat-Rodrigo, L., 1242
Ricci, G. See Bertini, F., 2737
Rich, J. See Ahola, N., 1279
Ridi, F. See Lo Nostro, P., 706
Rinderer, B. See Schramm, C., 1870
Riquet, A.-M.
—; Feigenbaum, A.; Colonna, P.; Lourdin, D.: Molecular Mobility in Starchy Materials Studied by Electron Spin Resonance, 990
Rivas, B. L.
—; Quilodrán, B.; Quiroz, E.: Removal Properties of Crosslinked Poly(2-acrylamido glycolic acid) for Trace Heavy Metal Ions: Effect of pH, Temperature, Contact Time, and Salinity on the Adsorption Behavior, 2614
—; Ruf, B.: Preparation and Metal Ion Adsorption Properties of the Resin Containing Sulfonic Acid Groups, 1230
—; Schiappacasse, L. N.: Poly(acrylic acid-*co*-vinylsulfonic acid): Synthesis, Characterization, and Properties as Polychelatogen, 1698
Rogulska, M. See Wdowicka, D., 380
Roice, M.
—; Rajasekharan Pillai, V. N.: Kinetics of Amide Formation on 1,4-Butanediol Dimethacrylate Crosslinked Polystyrene Resin: A Comparison with PS-DVB Resin, 2897
Romashkin, A. See Shuvalov, M., 1543
Roopa, S. See Siddaramaiah, 1366
Rueda, D. R. See Cagiao, M. E., 16
Ruf, B. See Rivas, B. L., 1230
Ruggeri, G. See Picchioni, F., 2698
Ruiz, J.
—; Mantecón, A.; Cádiz, V.: Network Characterization and Swelling Behavior of Chemical Hydrogels Based on Acid-Containing Poly(Vinyl Alcohol), 3026

Sabharwal, S. See Bhardwaj, Y. K., 730
Sadasivamurthy, P. See De, P., 2364
Sadiku, E. R. See Sanderson, R. D., 928

Sahoo, A. See Sahoo, P. K., 3196
Sahoo, P. K.
—; Mohapatra, R.; Sahoo, A.; Swain, S. K.: Ultrasonic and Viscometric Investigations of a Poly(vinyl alcohol)–Dextran Mixture in Aqueous Solution, 3196
Saito, A. See Sugita, H., 636
Sakai, Y. See Matsuguchi, M., 2982
Sakhalkar, S. S. See Paradkar, R. P., 545
Sakurada, K. See Matsuguchi, M., 2982
Salovey, R. See Emami, S. H., 1451
Samal, S.
—; Acharya, S.; Dey, R. K.; Ray, A. R.: Synthesis, Characterization, and Metal Ion Uptake Studies of Chelating Resins Derived from Formaldehyde/Furfuraldehyde Condensed Phenolic Schiff Base of 4,4′-Diaminodiphenylmethane and *o*-Hydroxyacetophenone, 570
Sammut, P. See Ajji, A., 3070
Sanchez-Valdes, S. See Martínez-Vázquez, D. G., 360
Sanda, F. See Suzuki, K., 878
Sanderson, R. See Mequanint, K., 893, 900
Sanderson, R. D.
—; Sadiku, E. R.: Theoretical Energy Consideration of the Gas-Phase Polymerization of Sodium Acrylate, 928
—; See Graef, S. M., 2530; Van Zyl, A. J. P., 2539
Santana, R. C. See Danella, O. J., Jr., 2346
Santana, R. M. C.
—; Manrich, S.: Morphology and Mechanical Properties of Polypropylene/High-Impact Polystyrene Blends from Postconsumer Plastic Waste, 2861
Sarathi, R.
—; Rao, U. M.: Analysis of Surface Degradation of Silicone Rubber Due to Tracking—A Physicochemical Approach, 2392
Sari, B. See Gök, A., 2924
Sarker, A. K.
—; Kimura, K.; Yamashita, Y.: Size Control of Poly(2-oxy-6-naphthoyl) Whiskers by the Addition of Oligomers During Polymerization, 1320
Sarmoria, C. See Asteasuain, M., 1676
Sasaki, T. See Ebe, K., 1854
Sathyanarayana, D. N. See De, P., 2364
Sawada, H.
—; Fujisawa, A.; Kawase, T.: Synthesis and Gelation of Novel Fluoroalkyl End-Capped *N*-(1,1-Dimethyl-3-oxobutyl)acrylamide Copolymers Containing Triol Segments—Interaction of These Fluorinated Gels with Various Hydrophilic Compounds, 3212
Saxena, C. See Dubey, V., 1760
Schiappacasse, L. N. See Rivas, B. L., 1698
Schmidt, R.
—; Hammon, U.; Gottfried, S.; Welch, M. B.; Alt, H. G.: Iron(II)-Based Catalysts for Ethene Oligomerization, 476
Schneider, H. A.
—; Flexibility and Phase Transitions of Polymers, 1590
Schoen, P. E. See Chiou, B.-S., 3218
Schramm, C.
—; Rinderer, B.: Quantitative Evaluation of Cotton-Bound Glyoxal in the Presence of Glycols, 1870
Schröder, N.
—; Könczöl, L.; Döll, W.; Mülhaupt, R.: Mechanical Properties of Epoxy-Based Hybrid Composites Containing Glass Beads and α,ω-Oligo(butylmethacrylate)diol, 1040
Schulz, K. H. See Clingerman, M. L., 2280
Schwartz, S. A. See Suh, J., 2598
Seixas, J. See Martins, J. A., 2706, 2714
Selke, S. E. M. See Rachtanapun, P., 2842
Sen, K. See Bahrami, S. H., 685; Bajaj, P., 1211
Seo, I. S. See Lyoo, W. S., 1858
Seo, Y.
—; Modeling of the Transient Viscosity for Polymer Melts after Startup of Shearing and Elongational Deformations, 510
Seppälä, J. See Ahola, N., 1279
Šeršeň, F.
—; Čík, G.; Veis, P.: Study of Conformational Changes in Poly(3-dodecylthiophene) Dependent on Backbone Stereoregularity Using a Spin-Probe Technique, 2214
Shabana, H. M. See Fouda, I. M., 3202
Shanmugharaj, A. M.
—; Bhowmick, A. K.: Dynamic Mechanical Properties of Styrene-Butadiene Rubber Vulcanizate Filled with Electron Beam Modified Surface-Treated Dual-Phase Filler, 2992
Shao, J.
—; Yang, Y.; Shi, C.: Preparation and Adsorption Properties for Metal Ions of Chitin Modified by L-Cysteine, 2575
Shariatpanahi, H.
—; Nazokdast, H.; Hemmati, M.: Relationship Between Interfacial Tension and Dispersed-Phase Particle Size in Polymer Blends. II. PP/PA6, 54
Shastri, L. See Ramkumar, S. S., 2450
Shelly, D. C. See Ramkumar, S. S., 2450
Shen, D. See Zhang, G., 973
Shen, J. See Zhu, A., 489
Shen, J.-W.
—; Chen, X.-M.; Huang, W.-Y.: Structure and Electrical Properties of Grafted Polypropylene/Graphite Nanocomposites Prepared by Solution Intercalation, 1864
Shen, Q. See Xiang, D., 1350
Shen, S.-J. See Xu, W.-B., 2932
Shen, W.-D. See Zhou, S.-X., 189
Shi, C. See Shao, J., 2575
Shi, D. See Yang, J., 206
Shi, F. See Ma, Y., 1622
Shi, Y.
—; Wu, Y.; Zhu, Z.: Modification of Aqueous Acrylic–Polyurethane via Epoxy Resin Postcrosslinking, 470
—; See Teng, H., 536; Zeng, Y., 1328
Shi, Z.
—; Yu, D.; Wang, Y.; Xu, R.: Nonisothermal Cure Kinetics in the Synthesis of Polybenzoxazine–Clay Nanocomposites, 194
Shick, R. A. See Wu, X., 1186
Shield, S. R.
—; Ghebremeskel, G. N.: Use of Mid- and Near-Infrared Techniques as Tools for Characterizing Blends of Copolymers of Styrene–Butadiene and Acrylonitrile–Butadiene, 1653
Shih, C.-Y.
—; Huang, K.-S.: Synthesis of a Polyurethane–Chitosan Blended Polymer and a Compound Process for Shrink-Proof and Antimicrobial Woolen Fabrics, 2356
Shim, J. K. See Kang, J. S., 3188

Shim, S. E.
—; Isayev, A. I.: Effects of the Presence of Water on Ultrasonic Devulcanization of Polydimethylsiloxane, 2630
Shin, K.-W. See Yu, L., 1550
Shin, S. R. See Kim, S. J., 2721
Shinbo, T. See Kameda, M., 2068
Shogren, R. See Garlotta, D., 1775
Shukla, U.
—; Rao, K. V.; Rakshit, A. K.: Thermotropic Liquid-Crystalline Polymers: Synthesis, Characterization, and Properties of Poly(azomethine esters), 153
Shumsky, V. F.
—; Getmanchuk, I. P.; Davydenko, V. V.; Lipatov, Y. S.; Cassagnau, P.; Boiteux, G.; Melis, F.: Viscoelastic Behavior of Chlorinated Polyethylene/Poly(ethylene-*co*-vinyl acetate) Blends in the Melt State, 1911
Shuvalov, M.
—; Mavrin, M.; Ovsienko, V.; Romashkin, A.: Analysis of Water Trees in Power Cable Polymeric Insulation, 1543
Siddaramaiah
—; Roopa, S.; Guruprasad, K. H.: Interaction of Crosslinked Ethylene–Propylene–Diene Terpolymer Blends with Chlorinated Organic Penetrants, 1366
Silva, J. See Martins, J. A., 2706
Simon, C.
—; Pizzi, A.: Tanning/Melamine–Urea–Formaldehyde (MUF) Resins Substitution of Chrome in Leather and Its Characterization by Thermomechanical Analysis, 1889
Simon, G. P. See Yan, F. Y., 214
Simon, S. L. See Alcoutlabi, M., 226
Simsek-Ege, F. A.
—; Bond, G. M.; Stringer, J.: Polyelectrolye Complex Formation Between Alginate and Chitosan as a Function of pH, 346
Singh, A. P. See Park, B.-D., 2677
Singh, G. See Adusei, G., 565
Singurel, G. See Bumbu, G., 2585
Sinturel, C. See Boyard, N., 1258
Sirisook, R. See Pimpan, V., 788
Sivadasan, P. See Devasia, R., 915
Sjöholm, E. See Berggren, R., 1170
Smith, M. L. See Ramkumar, S. S., 2450
Smook, M. A. See Jones, A. S., 1289
Son, W. K. See Kim, S. H., 595
Song, K. H. See Kim, D.-H., 1010
Song, W. See Zhuang, Y., 724
Song, Y.
—; Zheng, Y.; Wang, Y.: Adhesion Between Poly(ethylene terephthalate) Silk and Chlorohydrin Rubber for Aerial Film, 2097
—; See Wu, G., 2160; Yang, J., 206
Sood, A.
—; Awasthi, S. K.: Initial Droplet Size Distribution in Miniemulsion Polymerization, 3058
Soucek, M. D. See Teng, G., 245
Soulounganga, P.
—; Marion, C.; Huber, F.; Gerrardin, P.: Synthesis of Poly(glycerol methacrylate) and Its Application to Dimensional Stabilization of Wood, 743
Soykan, C.
—; Erol, İ.: Free-Radical Copolymerization of {4-Isopropyl phenyl) oxycarbonyl} Methyl Methacrylate with Acrylonitrile and Methyl Methacrylate, 2331
Spathis, G. See Kontou, E., 1942
Sperling, L. H. See Mohd Ghazaly, H., 42
Spruiell, J. E. See Suh, J., 2598
Spyros, A.
—; Characterization of Unsaturated Polyester and Alkyd Resins Using One- and Two-Dimensional NMR Spectroscopy, 1881
Srebnik, S. See Freger, V., 1162
Sreekumar, T. V. See Bajaj, P., 1211
Sridhar, S. See De, P., 2364
Srinivasa Rao, G. S.
—; Jain, R. C.: Graft Copolymerisation of N-Vinyl Pyrrolidone onto Polypropylene Copolymer in Melt: Effect of Grafting on Thermomechanical Properties and Paint Adhesion, 2173
Srividhya, M. See Lakshmi, M. S., 2963
Stephen, R.
—; Raju, K. V. S. N.; Nair, S. V.; Varghese, S.; Oommen, Z.; Thomas, S.: Mechanical and Viscoelastic Behavior of Natural Rubber and Carboxylated Styrene-Butadiene Rubber Latex Blends, 2639
Stoltz, M. J.
—; Brazel, C. S.: Dual Lower Critical Solution Temperature Polymer Networks Based on Block, Laminate, and Interpenetrating Network Structures Composed of *N*-Alkylacrylamides, and *N,N*-Dialkylaminoethyl Methacrylates, 2974
Stringer, J. See Simsek-Ege, F. A., 346
Strivay, D. See Leroy, D., 352
Sturm, P. C. See Nuñez, A. J., 1420
Sudol, E. D. See Yuan, X.-Y., 1988
Sugita, H.
—; Saito, A.; Konno, K.; Hayasui, A.; Nishiyama, S.; Ebisawa, M.; Nishikawa, M.; Ohta, Y.; Tominaga, T.: Spin-on-Glass (SOG) for the Trilayer Imaging Process, 636
Sugita, Y. See Suzuki, K., 878
Suhartini, M.
—; Mitomo, H.; Nagasawa, N.; Yoshii, F.; Kume, T.: Radiation Crosslinking of Poly(butylene succinate) in the Presence of Low Concentrations of Trimethallyl Isocyanurate and Its Properties, 2238
Suh, D. H. See Lee, I. J., 2339
Suh, J.
—; Spruiell, J. E.; Schwartz, S. A.: Melt Spinning and Drawing of 2-Methyl-1,3-Propanediol-Substituted Poly(ethylene terephthalate), 2598
Suh, K.-D. See Jung, W.-C., 2622
Sumaru, K. See Kameda, M., 2068
Sun, D. See Yang, L., 201
Sun, G. See Sun, Y., 1032
Sun, J. See Fang, D., 88; Zhou, S.-X., 189
Sun, S. See Ma, Y., 1622
Sun, S. X. See Zhong, Z., 407
Sun, W.-H. See Ma, Z., 466
Sun, X. S. See Ke, T., 2947
Sun, Y.
—; Sun, G.: Novel Refreshable *N*-Halamine Polymeric Biocides: Grafting Hydantoin-Containing Monomers onto High Performance Fibers by a Continuous Process, 1032
Sun, Z. See Liu, W., 2904; Tang, X., 1121
Suzuki, A.
—; Mochizuki, N.: PET Microfiber Prepared by Carbon Dioxide Laser Heating, 3279
Suzuki, K.
—; Matsu-ura, N.; Horii, H.; Sugita, Y.; Sanda, F.; Endo, T.: One-Pot Curing System of Epoxy Resin Imines Initiated with Water, 878
Suzuki, M. See Ishikawa, T., 1465

Svetlichnyi, V. M. See Yudin, V. E., 3151
Swain, S. K. See Sahoo, P. K., 3196

Taguchi, Y.
—; Tanaka, M.: Preparation of Composite Particles Made from Solid Powders and Wasted Plastics by Semichemical Recycle Method, 483
Taha, M. See Chen, J., 1376
Tajvidi, M.
—; Ebrahimi, G.: Water Uptake and Mechanical Characteristics of Natural Filler–Polypropylene Composites, 941
Takeda, K. See Ishikawa, T., 1465
Tallman, D. E. See Teng, G., 245
Talu, M. See Gök, A., 2924
Tam, K. C. See Wang, Y. L., 1713
Tan, S. T.
—; Wei, C.; Wang, X. Y.; Zhang, M. Q.; Zeng, H. M.: Blends of Liquid Crystalline Polyester–Polyurethane and Epoxy: Preparation and Properties, 783
Tanaka, M. See Taguchi, Y., 483
Tang, J.
—; Ding, T.; Daniels, E. S.; Dimonie, V. L.; Klein, A.; El-Aasser, M. S.: Synthesis of Well-Defined, Functionalized Polymer Latex Particles through Semicontinuous Emulsion Polymerization Processes, 30
Tang, R.
—; Du, Y.; Zheng, H.; Fan, L.: Preparation and Characterization of Soy Protein Isolate–Carboxymethylated Konjac Glucomannan Blend Films, 1095
Tang, S. See Xu, W., 3093, 3225
Tang, X.
—; Lu, J.; Zhang, Z.; Zhu, X.; Wang, L.; Li, N.; Sun, Z.: Polycondensation of Sodium Tetrazodiphenyl Naphthionate and Pyromellitic Dianhydride under Microwave Irradiation and the Performance of the Third-Order Nonlinear Optics, 1121
Tang, Z. See Yu, H., 2557
Tapale, M. See Yun, J., 434
Taraiya, A. K.
—; Mirza, M. S.; Mohanraj, J.; Barton, D. C.; Ward, I. M.: Production and Properties of Highly Oriented Polyoxymethylene by Die-Drawing, 1268
Tavares, M. I. B. See da Silva, E. P., 293; Nogueira, R. F., 1004
ten Brinke, G. See Pezzin, A. P. T., 2744
Teng, C.
—; Yu, M.: Preparation and Property of Poly(ethylene terephthalate) Fibers Providing Ultraviolet Radiation Protection, 1180
Teng, G.
—; Soucek, M. D.; Yang, X. F.; Tallman, D. E.: Effect of the Addition Mode of Cycloaliphatic Diepoxide on the Morphology and Film Properties of Crosslinkable Core-Shell Latex, 245
Teng, H.
—; Dong, W.; Shi, Y.; Jin, X.: Effects of Irradiation on the Melting and Crystallization Behavior of Ethylene Polymers with Different Thermal History, 536
Teng, X.-R.
—; Molecular Weight and Spinnability of Polyacrylonitrile Produced by Precipitation Polymerization in Supercritical CO_2 (note), 1393
Thamizharasi, S.
—; Gnanasundaram, P.; Balasubramanian, S.: Synthesis, Characterization, and Reactivity Ratios of Copolymers Derived from 4-Nitrophenyl Acrylate and *n*-Butyl Methacrylate, 1817
Thomas, S. See Joseph, P. V., 602; Stephen, R., 2639
Tian, R. See Zhang, L., 146
Tjong, S. C.
—; Xu, S. A.; Mai, Y. W.: Process–Structure–Property Relationship in Ternary Short-Glass-Fiber/Elastomer/Polypropylene Composites, 1384
—; See Zhou, X. P., 1055
Tock, R. W. See Ramkumar, S. S., 2450
Tomidokoro, M. See Iwata, M., 1752
Tominaga, T. See Sugita, H., 636
Tomoi, M. See Iijima, T., 1
Tong, Z. See Guo, Y., 652
Tongrubbai, B. See Wootthikanokkhan, J., 921
Toriz, G.
—; Arvidsson, R.; Westin, M.; Gatenholm, P.: Novel Cellulose Ester–Poly(Furfuryl Alcohol)–Flax Fiber Biocomposites, 337
Tsai, H.-B.
—; Lee, D.-K.; Tsai, R.-S.: Synthesis and Properties of Copolyesters of *p,p'*-Bibenzoic Acid, Dimer Acid, and Alkylene Glycol, 750
Tsai, R.-S. See Tsai, H.-B., 750
Tsai, S.-J. See Hsu, S. L.-C., 2388
Tsaih, M. L.
—; Chen, R. H.: The Effect of Reaction Time and Temperature During Heterogenous Alkali Deacetylation on Degree of Deacetylation and Molecular Weight of Resulting Chitosan, 2917
Tserki, V.
—; Matzinos, P.; Panayiotou, C.: Effect of Compatibilization on the Performance of Biodegradable Composites using Cotton Fiber Waste as Filler, 1825
Tshabalala, M. A.
—; Kingshott, P.; VanLandingham, M. R.; Plackett, D.: Surface Chemistry and Moisture Sorption Properties of Wood Coated with Multifunctional Alkoxysilanes by Sol–Gel Process, 2828
Tsuchiya, T. See Ishikawa, T., 1465
Tuncel, S. A. See Bulmuş, V., 2012
Turunen, M.
—; Alvila, L.; Pakkanen, T. T.; Rainio, J.: Modification of Phenol–Formaldehyde Resol Resins by Lignin, Starch, and Urea, 582
Tzoganakis, C. See Long, J., 3117

Unal, H.
—; Fındık, F.; Mimaroglu, A.: Mechanical Behavior of Nylon Composites Containing Talc and Kaolin, 1694
Unwin, M. E. See Challis, R. E., 1665
Utsumi, S. See Kitayama, T., 2875
Uysal, B.
—; Özçifçi, A.: Effects of Dowels Produced from Various Materials on Withdrawal Strength in MDF and Pb, 531

Valentini, L. See Puglia, D., 452
Vallés, E. M.
—; Failla, M. D.: Effect of the Temperature on the Tensile Mechanical Behavior of Irradiated Linear Polyethylene, 1925
van Ekenstein, G. O. R. A. See Pezzin, A. P. T., 2744
VanLandingham, M. R. See Tshabalala, M. A., 2828
van Ooij, W. See Zhang, J., 1473

Van Zyl, A. J. P.
—; Graef, S. M.; Sanderson, R. D.; Klumperman, B.; Pasch, H.: Monitoring the Grafting of Epoxidized Natural Rubber by Size-Exclusion Chromatography Coupled to FTIR Spectroscopy, 2539
—; See Graef, S. M., 2530
Varghese, S. See Stephen, R., 2639
Vasile, C. See Bumbu, G., 2585
Vasudevan, T. See Rajendran, V., 389
Vayer, M. See Boyard, N., 1258
Vecchione, F. See Alessi, P., 2189
Veis, P. See Šeršeň, F., 2214
Vijayan, T. M. See Abraham, G., 1737
Vlad, A. See Cazacu, M., 2060
Vouyiouka, S. N. See Papaspyrides, C. D., 1252
Vrentas, C. M. See Vrentas, J. S., 3256
Vrentas, J. S.
—; Vrentas, C. M.: Steady Viscoelastic Diffusion, 3256

Wan, F. See Xu, N., 79
Wan, L. See Zeng, Y., 1328
Wang, B. See Guan, R., 1956
Wang, C.
—; Cui, M.: Synthesis of Multiblock Copolymers of Poly(2-vinylpyridine) and Polyoxyethylene, 1632
—; See Yu, H., 2557
Wang, C.-C. See Cheng, S.-K., 699
Wang, C.-S. See Leu, T.-S., 1963
Wang, C. S. See Lin, C. H., 2607
Wang, F. See Dai, Q., 2732
Wang, F. S. See Wang, G., 50
Wang, G.
—; Zhang, J. P.; Wang, L. X.; Jing, X. B.; Wang, F. S.: A Novel Emitting Polymer with Bipolar Carrier Transporting Abilities, 50
—; See Zhuang, Y., 724
Wang, H. See Li, C., 2804; Ma, Z., 466
Wang, J.
—; Guo, W.; Cheng, S.; Zhang, Z.: Structure and Applications of CB/Crystal Fluoride Resin Alloy in Self-Regulated Heating Cables, 2664
Wang, K. See Mai, K., 1608
Wang, L. See Mi, X., 3273; Tang, X., 1121
Wang, L. X. See Wang, G., 50
Wang, P.
—; Qian, H.; Yu, H.; Chen, J.: Study on Kinetic of Natural Rubber Vulcanization by Using Vulcameter, 680
Wang, P.-H.
—; Initiation of Surface Graft Polymerization by Ceric Ions on Polymer Microspheres, 936
—; Wang, Q.-W.: Emulsifier-Free Emulsion Copolymerization of Styrene with Methacrylic Acid, 1747
Wang, Q.-W. See Wang, P.-H., 1747
Wang, S. See Fang, Z., 1516; Guan, Y., 872
Wang, S.-Q. See Fang, Z., 1516
Wang, W. See Xu, W., 3093, 3225; Zhang, L., 146
Wang, X.
—; Feng, W.; Li, H.; Jin, R.: Compatibilization and Toughening of Poly(2,6-dimethyl-1, 4-phenylene oxide)/Polyamide 6 Alloy with Poly(ethylene 1-octene): Mechanical Properties, Morphology, and Rheology, 3110
—; See Dai, W., 2784, 2791; Ma, W., 2868
Wang, X.-S. See Li, X.-G., 1065
Wang, X. Y. See Tan, S. T., 783
Wang, Y.
—; Li, G.; Leng, Y.; Yang, X.; Gu, M.: Synthesis and Kinetic Behavior of Stereotriblock Polybutadiene Using Dilithium as Initiator, 1049
—; See Shi, Z., 194; Song, Y., 2097
Wang, Y.-C. See Fan, S.-C., 2688
Wang, Y.-J. See Liu, W., 2904
Wang, Y. L.
—; Yue, C. Y.; Tam, K. C.; Hu, X.: Relationship Between Processing, Microstructure, and Mechanical Properties of Injection Molded Thermotropic LCP, 1713
Wang, Z. See Zeng, Y., 1328
Ward, I. M. See Mohanraj, J., 1336; Taraiya, A. K., 1268
Wdowicka, D.
—; Podkościelny, W.; Rogulska, M.: Polyurethanes: Products of 4,4′-Bis(6-hydroxyhexylthio)diphenyl Ether and Methylene Bis(4-phenyl isocyanate), 380
Weber, E. H.
—; Clingerman, M. L.; King, J. A.: Thermally Conductive Nylon 6,6 and Polycarbonate Based Resins. II. Modeling, 123
—; Clingerman, M. L.; King, J. A.: Thermally Conductive Nylon 6,6 and Polycarbonate Based Resins. I. Synergistic Effects of Carbon Fillers, 112
—; See Clingerman, M. L., 2280
Weber, G. See Leroy, D., 352
Wee, W.-R. See Kweon, H. Y., 2670
Wei, C. See Tan, S. T., 783
Wei, G. See Peng, J., 2478
Welch, M. B. See Schmidt, R., 476
Wen, T.-C. See Rajendran, V., 389
Wesslén, B. See Ljungberg, N., 3239
Westin, M. See Toriz, G., 337
White, J. L. See Kim, B. J., 1429
Willett, J. L. See Garlotta, D., 1775
Wojturska, J. See Król, P., 327
Wong, C. P. See Moon, K.-S., 2439
Wong, S.-C. See Chen, L., 3298
Wong-on, J.
—; Wootthikanokkhan, J.: Dynamic Vulcanization of Acrylic Rubber-Blended PVC, 2657
Woo, B. G. See Choi, K. Y., 2132
Wootthikanokkhan, J.
—; Tongrubbai, B.: Compatibilization Efficacy of Poly(isoprene–butyl acrylate) Block Copolymers in Natural/Acrylic Rubber Blends, 921
—; See Wong-on, J., 2657
Wright, T. See Jones, A. S., 1289
Wu, C.-G. See Narsimlu, N., 3183
Wu, C.-S.
—; Liao, H.-T.: Modification of Polyethylene–Octene Elastomer by Silica Through a Sol–Gel Process, 966
—; See Liao, H.-T., 1919
Wu, G.
—; Song, Y.; Zheng, Q.; Du, M.; Zhang, P.: Dynamic Rheological Properties of HDPE/CB Composite Melts, 2160
Wu, L.-M. See Zhou, S.-X., 189
Wu, Q. See Liu, X., 953
Wu, T.-M.
—; Cheng, J.-C.: Morphology and Electrical Properties of Carbon-Black-Filled Poly(ϵ-caprolactone)/Poly(vinyl butyral) Nanocomposites, 1022
Wu, X.
—; Reed, H. A.; Rhodes, L. F.; Elce, E.; Ravikiran, R.; Shick, R. A.; Henderson, C. L.; Allen, S. A. B.; Kohl, P. A.: Photoinitiation Systems and Thermal Decomposition of Photodefinable Sacrificial Materials, 1186
Wu, Y. See Shi, Y., 470

Xia, H. See Chen, C., 659
Xiang, D.
—; Shen, Q.; Zhang, S.; Jiang, X.: Synthesis and Characterization of Novel Soluble Alternating Copoly(phenylene vinylene) Derivative for Light-Emitting Electrochemical Cell, 1350

Xiao, H. See Guan, Y., 872
Xie, B.
—; Yang, M.; Li, S.; Li, Z.; Feng, J.: Studies on Polyamide-6/Polyolefin Blend System Compatibilized with Epoxidized Natural Rubber, 398
Xie, J. See Kang, H., 494
Xie, X. L. See Zhou, X. P., 1055
Xie, Z. M. See Huang, Z. H., 2858
Xin, Z. See Gui, Q., 297
Xu, C. See Ma, G., 1296
Xu, H.
—; Ni, S.; Yang, C.: High Polarization Levels in Poly(vinylidene fluoride–trifluoroethylene) Ferroelectric Thin Films Doped with Diethyl Phthalate, 1416
Xu, N.
—; Zhou, D.; Li, L.; He, J.; Chen, W.; Wan, F.; Xue, G.: Physical Properties of PVA/PSSNa Blends, 79
Xu, Q.
—; Han, B.; Yan, H.: Precipitation Polymerization of Acrylic Acid in Compressed Carbon Dioxide–Cosolvent Systems, 1876
—; Han, B.; Yan, H.: Precipitation Polymerization of Methyl Methacrylate in Tetrahydrofuran with Compressed CO_2 as Antisolvent, 2427
Xu, R. See Shi, Z., 194
Xu, S. A. See Tjong, S. C., 1384
Xu, W.
—; Liang, G.; Wang, W.; Tang, S.; He, P.; Pan, W.-P.: Poly(propylene)–Poly(propylene)-Grafted Maleic Anhydride–Organic Montmorillonite (PP–PP-g-MAH–Org-MMT) Nanocomposites. II. Nonisothermal Crystallization Kinetics, 3093
—; Liang, G.; Wang, W.; Tang, S.; He, P.; Pan, W.-P.: PP–PP-g-MAH–Org-MMT Nanocomposites. I. Intercalation Behavior and Microstructure, 3225
Xu, W.-B.
—; Bao, S.-P.; Shen, S.-J.; Hang, G.-P.; He, P.-S.: Curing Kinetics of Epoxy Resin–Imidazole–Organic Montmorillonite Nanocomposites Determined by Differential Scanning Calorimetry, 2932
Xuan, Y.
—; Gao, Y.; Huang, Y.; Jian, X.: Synthesis and Characterization of a Novel Phthalazinone Poly(Aryl Ether Sulfone Ketone) with Carboxyl Group, 1111
Xue, G. See Xu, N., 79

Yagci, Y. See Akbas, T., 2373
Yamaguchi, Y. See Nakamura, N., 2942
Yamashita, Y. See Sarker, A. K., 1320
Yan, D. See Li, W., 2462; Li, Y., 1311, 1581; Zhang, G., 2181
Yan, F. Y.
—; Gross, K. A.; Simon, G. P.; Berndt, C. C.: Peel-Strength Behavior of Bilayer Thermal-Sprayed Polymer Coatings, 214
Yan, H. See Xu, Q., 1876, 2427
Yan, L.
—; Zhu, Q.: Direct Observation of the Main Cell Wall Components of Straw by Atomic Force Microscopy, 2055
Yang, C. See Xu, H., 1416
Yang, C.-P.
—; Chen, R.-S.; Hsu, M.-F.: New Poly(amide imide imide)s Based on Tetraimide Dicarboxylic Acid Condensed from 4,4′-(Hexafluoroisopropylidene)diphthalic Anhydride, *m*-Aminobenzoic Acid, and 4,4″-Oxydianiline and Various Aromatic Diamines, 669
Yang, G. See Zhang, L., 422
Yang, H. See Zhuang, Y., 724
Yang, J.
—; Shi, D.; Gao, Y.; Song, Y.; Yin, J.: Rheological Properties and Morphology of Compatibilized Poly(butylene terephthalate)/Linear Low-Density Polyethylene Alloy, 206
Yang, J.-M. See Lee, R.-S., 3176
Yang, L.
—; Sun, D.; Li, Y.; Liu, G.; Gao, J.: Properties of Poly(vinyl chloride) Blended with an Emulsion Copolymer of *N*-Cyclohexylmaleimide and Methyl Methacrylate, 201
—; See Liu, G., 2891
Yang, M. See Xie, B., 398
Yang, M.-C. See Hu, S.-G., 2797
Yang, X. See Ma, W., 2868; Wang, Y., 1049
Yang, X. F. See Teng, G., 245
Yang, Y. See Shao, J., 2575; Zhuang, D., 2777
Yao, K. See Li, Z., 1719
Yao, K. D. See Li, P., 322
Yao, S. See Yin, Y., 1840
Yao, Y. See Liu, G., 2891
Yean, L. P. See Ismail, A. F., 442
Yeh, J.-M.
—; Chin, C.-P.: Structure and Properties of Poly(*o*-methoxyaniline)–Clay Nanocomposite Materials, 1072
—; Chin, C.-P.; Chang, S.: Enhanced Corrosion Protection Coatings Prepared from Soluble Electronically Conductive Polypyrrole-Clay Nanocomposite Materials, 3264
Yeum, J. H. See Lyoo, W. S., 1482
Yi, X. W. See Zhao, B. Y., 12
Yıldız, B.
—; Işık, B.; Kış, M.; Birgül, Ö.: pH-Sensitive Dimethylaminoethyl Methacrylate (DMAEMA)/Acrylamide (AAm) Hydrogels: Synthesis and Adsorption from Uranyl Acetate Solutions, 2028
Yin, D.
—; Zhang, Y.; Peng, Z.; Zhang, Y.: Effect of Fillers and Additives on the Properties of SBR Vulcanizates, 775
Yin, J. See Yang, J., 206
Yin, S.
—; Pizzi, A.: Temperature-Dependence Modeling of Highly Crosslinked Polymer Networks, 2416
Yin, Y.
—; Yao, S.; Zhou, X.: Synthesis and Dynamic Mechanical Behavior of Crosslinked Copolymers and IPNs from Vegetable Oils, 1840
Yoo, M.-K. See Kweon, H. Y., 2670
Yoon, J.-S. See Park, E.-S., 2007, 2434
Yoon, K. J. See Lim, K. Y., 131
Yoon, K. S. See Kim, B. Y., 1971
Yoon, S. G. See Kim, S. J., 1346, 2719
Yoshii, F. See Suhartini, M., 2238
Yoshikawa, M.
—; Matsumoto, M.; Igarashi, Y.: Specialty Polymeric Membranes. XIV. Pervaporation of Benzene/Cyclohexane Mixtures through Modified Polyamide Membranes, 183
You, X.
—; Li, L.; Gao, J.; Yu, J.; Zhao, Z.: Biodegradable Extruded Starch Blends, 627
You, Y.-C.
—; Jiao, J.-L.; Li, Z.; Zhu, C.-Y.: Synthesis and Swelling Behavior of Crosslinked Copolymers of Neutralized Maleic Anhydride with Other Monomers, 2725
Youn, J. R. See Lee, K. S., 500
Young, T. M. See Dong, Q., 2763

Yu, D. See Shi, Z., 194
Yu, D.-H. See Ji, X.-L., 3168
Yu, H.
—; Huang, N.; Wang, C.; Tang, Z.: Modeling of Poly(L-lactide) Thermal Degradation: Theoretical Prediction of Molecular Weight and Polydispersity Index, 2557
—; See Wang, P., 680
Yu, J. See You, X., 627; Zhang, L., 146
Yu, L.
—; Lee, J.-I.; Shin, K.-W.; Park, C.-E.; Holze, R.: Preparation of Aqueous Polyaniline Dispersions by Micellar-Aided Polymerization, 1550
Yu, M. See Teng, C., 1180
Yuan, M. See Deng, X., 2194
Yuan, X.-Y.
—; Dimonie, V. L.; Sudol, E. D.; El-Aasser, M. S.: Toward an Understanding of the Role of Water-Soluble Oligomers in the Emulsion Polymerization of Styrene–Butadiene–Acrylic Acid. Function of Carboxylic Acid, 1988
Yudin, V. E.
—; Otaigbe, J. U.; Bui, T. X.; Svetlichnyi, V. M.: Polyimide Bonded Magnets: Processing and Properties, 3151
Yue, C. Y. See Fan, J., 2000; Wang, Y. L., 1713
Yun, H.-G. See Kim, S.-G., 2884
Yun, J.
—; Isayev, A. I.; Kim, S. H.; Tapale, M.: Comparative Analysis of Ultrasonically Devulcanized Unfilled SBR, NR, and EPDM Rubbers, 434
Yunus, W. M. Z. W. See Abu-Ilaiwi, F. A., 2499

Zamfirova, G.
—; Lorenzo, V.; Benavente, R.; Pereña, J. M.: On the Relationship Between Modulus of Elasticity and Microhardness, 1794
Zanetti, M.
—; Pizzi, A.: Low Addition of Melamine Salts for Improved Melamine–Urea–Formaldehyde Adhesive Water Resistance, 287
Zang, B.-L. See Zhang, B.-Y., 1936
Zavaglia, C. A. C. See Pezzin, A. P. T., 2744
Zeng, H. See Mai, K., 1608
Zeng, H. M. See Tan, S. T., 783
Zeng, Y.
—; Wang, Z.; Wan, L.; Shi, Y.; Chen, G.; Bai, C.: Surface Morphology and Nodule Formation Mechanism of Cellulose Acetate Membranes by Atomic Force Microscopy, 1328
Zhang, B.-Y.
—; Hu, J.-S.; Zang, B.-L.; Zhou, A.-J.: Synthesis and Properties of Side Chain Cholesteric Liquid-Crystalline Polyacrylates Containing Two Mesogenic Groups, 1936
Zhang, C.
—; Easteal, A. J.: Study of Free-Radical Copolymerization of *N*-Isopropylacrylamide with 2-Acrylamido-2-methyl-1-propanesulphonic Acid, 2563
Zhang, D. See Li, C., 2804
Zhang, G.
—; Yan, D.: Crystallization Kinetics and Melting Behavior of Nylon 10,10 in Nylon 10,10–Montmorillonite Nanocomposites, 2181
—; Zhang, J.; Zhou, X.; Shen, D.: Miscibility and Phase Structure of Binary Blends of Polylactide and Poly(vinylpyrrolidone), 973
—; See Li, Y., 1311, 1581
Zhang, H. See Zhuang, D., 2777
Zhang, J.
—; France, P.; Radomyselskiy, A.; Datta, S.; Zhao, J.; van Ooij, W.: Hydrophobic Cotton Fabric Coated by a Thin Nanoparticulate Plasma Film, 1473
—; See Zhang, G., 973; Zhu, A., 489
Zhang, J. P. See Wang, G., 50
Zhang, L.
—; Chen, P.; Huang, J.; Yang, G.; Zheng, L.: Ways of Strengthening Biodegradable Soy-Dreg Plastics, 422
—; Chowdhury, G.; Feng, C.; Matsuura, T.; Narbaitz, R.: Effect of Surface-Modifying Macromolecules and Membrane Morphology on Fouling of Polyethersulfone Ultrafiltration Membranes, 3132
—; Gao, J.; Tian, R.; Yu, J.; Wang, W.: Graft Mechanism of Acrylonitrile onto Starch by Potassium Permanganate, 146
—; See Elmaghor, F., 2756; Huang, J., 3284, 3291; Liu, G., 2891; Lu, Y., 1304
Zhang, M. See Ma, Z., 466
Zhang, M. Q. See Tan, S. T., 783
Zhang, P. See Wu, G., 2160
Zhang, S. See Xiang, D., 1350
Zhang, W. See Javni, I., 2912
Zhang, X.
—; Li, W. L.: Synthesis and Properties of Graft Oxidation Starch Sizing Agent, 1563
Zhang, Y. See Li, Y., 2020; Peng, J., 2478; Yin, D., 775; Zhuang, D., 2777
Zhang, Z. See Dai, Q., 2732; Hua, Y., 1410; Tang, X., 1121; Wang, J., 2664
Zhao, B. Y.
—; Yi, X. W.; Li, R. Y.; Zhu, P. F.; Hu, K. A.: Characterization to the Weathering Extent of LLDPE/LDPE Thin Film, 12
Zhao, H. See Zhuang, Y., 724
Zhao, J. See Zhang, J., 1473
Zhao, S.
—; Feng, S.: Hydrogen-Containing Silicone Resin As the Crosslinking Agent of Heat-Curable Silicone Rubber, 3066
Zhao, Z. See You, X., 627
Zheng, A. See Guan, Y., 872
Zheng, H. See Tang, R., 1095
Zheng, J. P. See Li, P., 322
Zheng, L. See Zhang, L., 422
Zheng, Q. See Wu, G., 2160
Zheng, X. See Ma, Y., 1622
Zheng, Y. See Song, Y., 2097
Zhong, Z.
—; Sun, S. X.: Properties of Soy Protein Isolate/Poly(ethylene-*co*-ethyl acrylate-*co*-maleic anhydride) Blends, 407
Zhou, A.-J. See Zhang, B.-Y., 1936
Zhou, D. See Xu, N., 79
Zhou, N. See Zhu, X., 1787
Zhou, Q. See Fang, D., 88
Zhou, S.-X.
—; Wu, L.-M.; Sun, J.; Shen, W.-D.: Effect of Nanosilica on the Properties of Polyester-Based Polyurethane, 189
Zhou, X. See Yin, Y., 1840; Zhang, G., 973
Zhou, X. P.
—; Li, R. K. Y.; Xie, X. L.; Tjong, S. C.: Reinforcement of Polypropylene Using Sisal Fibers Grafted with Poly(methyl methacrylate), 1055
Zhu, A.
—; Zhang, J.; Shen, J.: Preparation and Anticoagulant Property of Phosphorylcholine-Terminated *o*-Benzoylchitosan Derivative, 489
Zhu, C.-Y. See You, Y.-C., 2725
Zhu, P. F. See Zhao, B. Y., 12
Zhu, Q. See Yan, L., 2055
Zhu, W. See Gui, Q., 297

Zhu, X.
—; Zhou, N.; He, X.; Cheng, Z.; Lu, J.: Atom Transfer Radical Bulk Polymerization of Methyl Methacrylate under Microwave Irradiation, 1787
—; See Li, Y., 1311; Tang, X., 1121
Zhu, Z. See Shi, Y., 470; Zhuang, Y., 724
Zhu, Z.-L. See Li, X.-G., 1065
Zhuang, D.
—; Zhang, H.; Yang, Y.; Zhang, Y.: Rheological Properties of Semidilute Solutions of Poly(acrylic acid) Modified with Hydrocarbon and Fluorocarbon End-Capped Poly(ethylene glycol) Macromonomer, 2777
Zhuang, X. See Li, Z., 1719
Zhuang, Y.
—; Yang, H.; Wang, G.; Zhu, Z.; Song, W.; Zhao, H.: Radiation Polymerization and Controlled Drug Release of Polymer Hydrogels with NIPA and NVP, 724
—; See Chen, C., 659
Zidan, H. M.
—; Electron Spin Resonance and Ultraviolet Spectral Analysis of UV-Irradiated PVA Films Filled with $MnCl_2$ and CrF_3, 104
—; Structural Properties of CrF_3- and $MnCl_2$-Filled Poly(vinylalcohol) Films, 516
—; Structural Properties of CrF_3- and $MnCl_2$-Filled Poly(vinyl alcohol) Films, 1115
Zohdy, M. H. See El-Naggar, A. M., 1129
Zohuriaan-Mehr, M. J. See Pourjavadi, A., 2048
Zois, H.
—; Apekis, L.; Mamunya, Y. P.: Dielectric Properties and Morphology of Polymer Composites Filled with Dispersed Iron, 3013

Journal of Applied Polymer Science

Subject Index—Volume 88

Absorbency, 494
Absorption, 407
Acid dimerization, 522
Acrylates, 1817
Acrylic resin, 2118
Acrylic rubber, 2657
Acrylonitrile, 146, 2048
Activation energy, 685, 793, 840
Active pendant group, 1111
Addition polymerization, 3273
Additives, 459, 775, 848
Adhesion, 258, 900, 2097, 2400
Adhesion, strength, 214
Adhesive strength, 1737
Adhesives, 287, 878, 1737, 1854, 2677, 3084
Adsorption, 866, 1230, 1843, 2028, 2575, 2614, 2725, 2956, 2982
Ageing, 1543, 3033, 3066, 3239
Aging, 860
Al_2O_3, 2233
Alginate, 346
Alloys, 206, 612, 1196, 2664, 3151
Amorphous, 3273
Amphiphiles, 2032
Anionic polymerization, 1049, 1632
Annealing, 589, 2160
Antibacterial activity, 2797
Anticoagulant property, 489
4-α-cumylphenol, 404
Atactic, 2202
Atom transfer radical polymerization (ATRP), 1787
Atomic force microscopy, 1100
Atomic force microscopy (AFM), 1328, 2055
Azopolymer, 2068
Azure A, 1218

Barrier, 840
Biaxial stress state, 550
Biocompatibility, 2522
Biodegradability, 2797
Biodegradable, 131, 422, 627, 659, 1242, 1279, 1637, 1825, 3284, 3291
Biodegradable plastics, 2947
Biodegradation, 825, 2238
Biological application of polymers, 3248
Biomaterials, 337, 1153, 1768, 1775, 2580, 2744
Biopolymers, 64, 407, 2055, 2797, 3196
Bioreabsorbable polymers, 2744
Bismaleimide, 2000
Blend, 398, 2756
Blending, 64, 131, 652, 1095, 1252
Blends, 72, 79, 201, 266, 293, 307, 312, 407, 612, 699, 783, 806, 921, 973, 1129, 1516, 1653, 1911, 1919, 1976, 2007, 2253, 2356, 2377, 2434, 2492, 2522, 2550, 2585, 2622, 2639, 2698, 2744, 2810, 2842, 2861, 3070, 3100, 3284, 3291
Block copolymer, 1632
Block copolymers, 177, 921, 1289, 2194
Block polymers, 1516
Branched, 832
Breakthrough, 2310
Bridge formation, 2409
Bulk modulus, 226
Butadiene, 2942
Butyl methacrylate polymer, 1376

Calcium carbonate, 1376
Calculations, 30, 3058
Calorimetry, 915
Caprolactone, 1429
Carbamation, 959
Carbon, 825
Carboxylated styrene/butadiene latex, 1988
10-carboxy-n-decyltriethylammonium bromide, 1904
Cardanyl, 1399
Catalysis, 476, 915, 1456, 2868
Catalysts, 466, 2468, 3273
Cation-exchange membrane, 1488
Cationic polymer, 2409
Cellulose, 1719
Ceric ammonium nitrate, 2048
Chain, 1268
Characterization, 380, 389, 1488
Charge transfer, 177
Chelating polymers, 414
Chelating resin, 570
Chemical foaming agents, 3139
Chitosan, 346, 489, 2048, 2721, 2769, 2797, 2917
Chloranil, 2942
Cholesteric phase, 1936
Chromatography, 1951, 2189, 2530
Chrome substitution, 1889
1,4-*cis* microstructure, 2942
Clay, 1072, 1686, 2932, 3264
Coatings, 189, 214, 245, 878, 1760, 1881, 2828, 3264
Coefficient of thermal expansion, 2082
Coextrusion, 825
Coinjection molding, 2300, 2310
Cold plasma, 2038, 2400
Colloids, 302, 428
Compatibility, 266, 312, 398, 1384, 1911, 2585, 3196
Compatibilization, 54, 72, 206, 612, 1420, 1768, 1825, 2060, 2247, 2492, 2622, 2810, 2861
Compatibilizer, 2756
Compliance, 641
Composite, 941, 1768
Composites, 22, 112, 123, 278, 337, 483, 500, 602, 883, 936, 1055, 1376, 1384, 1420, 1497, 1600, 1637, 1659, 1775, 1825, 2020, 2160, 2210, 2280, 2346, 2455, 2511, 2842, 2875, 2924, 3013, 3078, 3248
Compounding, 1384
Compression, 2484
Conducting polymer, 79, 1072
Conducting polymers, 1864, 2214, 2550, 2664, 2823, 2924
Conductivity, 1627, 2233
Conformational analysis, 2214
Conjugated polymers, 258, 2214, 2924, 3264
Copolyesters, 750
Copolymer, 1817
Copolymer microspheres, 1747
Copolymerization, 1004, 1211, 1350, 1399, 1429, 1536, 1698, 1963, 2373, 2563, 2580, 2725, 2942, 3005
Copolymide, 853
Core-shell polymers, 312
Corrosion inhibition, 1072
Cotton, 1129, 1870
$CpTiCl_3$/methylaluminoxane, 2942
Creep, 641, 1637, 2988
CrF_3, 516
Crosslink density, 980
Crosslinked copolymer, 1840
Crosslinking, 42, 245, 307, 428, 470, 730, 1111, 1129, 1296, 1451, 1567, 1613, 1737, 1870, 1881, 2060, 2073, 2160, 2339, 2416, 2725, 2963, 2982, 3026, 3066
Crystal structure, 3225
Crystallinity, 2100
Crystallization, 297, 536, 545, 659, 814, 872, 973, 1311, 1320, 1686, 2173, 2181, 2261, 2737, 2804, 3093
Cure shrinkage, 226
Curing kinetics, 2073
Curing of polymer, 1258
Curing of polymers, 194, 908, 1410, 1613, 2455, 2932

Cyanate ester, 2000
Cyclic voltammetry, 1350

Decomposition kinetics, 1065
Degradation, 1465, 2364, 2557, 2818
Degree of deacetylation, 2917
Density, 2416
Dental polymers, 565
Deposition, 2409
Desmodur-VTKA, 531
Devulcanization, 434
Diacid chloride, 2168
Diallyldimethylammonium chloride, 1346
Dianhydride, 2168
Die-drawing, 1268, 1336
Dielectric properties, 1613, 1665, 2607, 3013, 3218
Differential scanning calorimetry, 516, 990, 2073
Differential scanning calorimetry (DSC), 64, 153, 452, 582, 685, 872, 1115, 1242, 1311, 1410, 1876, 1963, 2181, 2331, 2392, 2714, 2737, 2932, 3279
Diffusion, 161, 730, 840, 1279, 1366, 1573, 3256
Diffusivity selectivity, 2688
Diglycidylether, 3026
Dimensional stabilization of wood, 743
Dimer acid, 750
Dimide–diacid, 1737
Dispersions, 716, 1550, 1971
Drag reduction, 1836
Drawing, 1357, 2598
Drawing, fibers, 3279
Drug delivery system, 724
Drug delivery systems, 1279, 3212
DSC, 966, 1357, 2891
Durable press finishing, 1870
DVS substrate, 404
Dyes, 793
Dyes/pigments, 2714
Dynamic mechanical behavior, 1840
Dynamic mechanical thermal analysis, 337
Dynamic swelling, 730
Dynamic vulcanization, 1976, 2657

Effect of temperature, 2818
Elastomers, 139, 759, 1384, 2478
Electrochemical polymerization, 1218
Electrochemical properties, 1218
Electron beam curing, 1854
Electron microscopy, 2484, 2504
Electron spin resonance, 990
Electropolymerization, 352
Electrotherapy, 1225
Elongational flow, 510
Emulsion copolymerization, 1747
Emulsion polymerization, 30, 1622, 1988, 2732
Encapsulation, 2310
End capping, 2777
End-cap structure, 404
Environmental stress cracking, 550
Enzyme activity, 369
Enzymes, 1456
ϵ-caprolactam, 1904
Epoxidized natural rubber, 398
Epoxy, 2511, 3021
Epoxy curatives, 1737
Epoxy resin, 1040, 2124
Epoxy–imide resins, 1737
Equilibrium swelling, 730
ESCA/XPS, 2038, 3117, 3132
ESR, 104
ESR/EPR, 2214
Essential work of fracture, 1336
Esterification, 1768
Ethylene–propylene–diene rubber, 434
Evapomeation, 2688
Experiment, 2310
Extension, 1225
Extrusion, 627, 3100, 3139

Failure, 1659
Ferroelectricity, 1416
Fiber, 2409
Fiber length distribution, 1497
Fiber orientation distribution, 1497
Fibers, 278, 500, 545, 602, 706, 1482, 1567, 1637, 1825, 2450, 2598, 2875
Filler, 104
Fillers, 112, 123, 775, 883, 998, 1705, 1951, 2992
Film, 1357
Films, 42, 470, 669, 866, 1138, 1162, 1416, 1473, 2068, 2210, 2346, 2732, 2858
Finite difference, 2300
Finite element, 2300
Flame resistance, 1072
Flame retardance, 1465, 1506, 2851
Flame retardancy, 2511
Fluorescence, 793, 2706, 2714
Fluoropolymers, 2377, 3212
Foam, 3139
Fourier transform infrared, 346
Fractography, 2124
Fracture, 1, 699, 2439, 3298
Fracture mechanics, 2124
Fractures, 2148
FTIR, 22, 589, 1399
FT-IR, 278, 793, 1567, 2462, 2539, 2670, 3084, 3279
FTIR spectra, 1218
Functional groups, 2539
Functional particles, 483
Functionalization of polymers, 30, 1726, 2202, 2504, 2622, 2956, 2982

Gas permeability, 1100
Gas permeation, 442, 1752, 1752, 2068
Gel permeation chromatography, 2818
Gel permeation chromatography (GPC), 582, 1170, 1808, 2427
Gelatin, 322
Gelation, 3212
Gels, 980, 2132, 2988
Glass beads, 1040
Glass transition, 1590, 1627, 2100, 2189, 2639, 2818, 2891, 3284
Glycidyl methacrylate, 743
Glyoxal, 1870
Graft, 2777
Graft copolymer, 2048
Graft copolymerization, 2173
Graft copolymers, 183, 659, 1032, 1055, 1536, 1563, 1573, 1808, 1854, 1919, 2007, 2434, 2499, 2530, 2539, 2622
Graft polymerization, 146
Graft polymers, 936
Grafting, 959
Grafting copolymer, 398
Growth equation, 389

Halogenated, 1032
HALS, 459
Hard and soft segments, 1705
Hardness, 1794
Heat release, 2511
Heavy metal ions, 414, 2614
Heterogenous alkali deacetylation, 2917
High-density polyethylene, 2020
High performance liquid chromatography (HPLC), 2530
High performance polymers, 1032
High-performance polymers, 2455
High temperature materials, 2388
High-temperature polymers, 2455
Host—guest systems, 706
HPLC, 1870
Hybrid composites, 1040
Hydrogel, 2721, 2974, 3026
Hydrogels, 724, 730, 1451, 2028, 2032, 2670, 3212
Hydrolysis, 959
Hydrophilic polymers, 1808, 2725
Hydrophilicity, 2522
Hydrophobic association, 2777
Hydroxyl-terminated polybutadiene (HTPB), 1705
Hydroxypropylation, 2100

Imaging, 500
Immobilized horseradish peroxidase, 369
Inclusion chemistry, 706
Indentation, 1794
Infrared spectroscopy, 1622, 1653, 2504, 2810

Initiators, 1393, 2499
Injection molding, 16, 500, 806, 814, 1497, 2706, 2784, 2791
Inorganic nucleating agents, 360
Intelamellar space, 1904
Interface evolution, 2310
Interface kinematics and dynamics, 2300
Interfacial tension, 860
Interpenetrating network, 1488, 2974
Interpenetrating network (IPN), 2124
Interpenetrating networks, 2000
Interpenetrating networks (IPN), 327, 1304, 1843, 2570
Interpenetrating polymer network (IPN), 1346
Interpenetrating polymer networks (IPN), 2721
Intrinsic viscosity, 1121, 1836
Intumescents, 2511
Ion exchange resin, 1230
Ion exchanger, 2956
Ion exchangers, 3159
Ionomers, 307, 1516, 1971
IPNs, 422, 1840
Irradiation, 104, 536, 589, 1153, 1573, 1787, 2339, 2504, 2732, 2756
Isomer/isomerization, 2468
Isopropylacrylamide, 2032
Isotactic, 2261
Isotactic polypropylene (iPP), 2784, 2791

Kaolin, 1694
Kinetic, 680
Kinetics, 1311, 1399, 2048, 2468, 2897
Kinetics (polym.), 194, 327, 908, 915, 928, 1049, 1366, 1988, 2181, 3093
Kinetics (polymer), 1760

Lactam, 1429
Latexes, 42
Latices, 2639
LCST, 2012
Leather, 1889
Light scattering, 1170
Light-emitting diodes (LED)s, 1350
Light-emitting electrochemical cells (LEC), 1350
Lignosulfonate, 860
Linear, 206
Linear polyurethanes, 380
Lipid tubules, 3218
Liquid crystalline polymers (LCP), 1713
Liquid-crystalline polymer, 2275
Liquid-crystalline polymers, 1936
Liquid-crystalline polymers (LCP), 153, 767, 783, 998, 2400
Lithography, 636
Living polymerization, 1787
Low level radioactivity liquid waste treatment, 352
Lower critical solution temperature, 2974
Luminescence, 50, 1350

Macromonomers, 2373
Macroporous polymers, 2956
Magnetic polymers, 428
Magnetic tape, 2082
Maleic anhydride, 659
Matrix, 2664
MDF, 531
Mechanical properties, 22, 42, 245, 266, 297, 337, 407, 422, 602, 699, 759, 767, 806, 941, 959, 980, 998, 1040, 1055, 1095, 1129, 1196, 1268, 1289, 1376, 1384, 1420, 1567, 1637, 1686, 1694, 1768, 1775, 1794, 1925, 1956, 1976, 2000, 2020, 2108, 2139, 2484, 2639, 2784, 2904, 2947, 2988, 2992, 3066, 3291
Melamine resins, 1889
Melt, 536, 1311, 1581, 1608, 2598
Melting point, 1590, 2100, 2737
Membranes, 183, 307, 442, 1162, 1328, 1752, 1843, 2884, 3132, 3188
Metal ions, 1230, 1698
Metal uptake, 570
Metallocene catalyst, 2132
Micelles, 1550
Microbial resistance, 1129
Microcellular foams, 2842
Micro-Raman spectroscopy, 947
Microstructure, 2055, 3005, 3232
Mineralization, 825
Miscibility, 64, 652, 973, 1095, 1304, 1876
Mixed surfactants, 860
$MnCl_2$, 516
Modeling, 30, 88, 161, 510, 1279, 1676, 2202, 2280, 2416, 2557, 3045
Modification, 1, 278, 470, 582, 1032, 1055, 1289, 1676, 1726, 2020, 2504, 2575, 2797, 3084, 3159, 3188
Modulus, 1794, 2484
Molecular dynamics, 2677
Molecular mobility, 990
Molecular orientation, 947
Molecular weight, 2769, 2917
Molecular weight distribution, 2557
Molecular weight distribution/molar mass distribution, 88, 1170, 1676
Monomers, 565, 928, 1393, 1536, 2331
Montmorillonite, 322
Montmorillonite intercalations complex, 1904
Morphology, 1, 54, 72, 206, 266, 312, 466, 550, 595, 767, 1022, 1162, 1320, 1526, 1775, 1864, 1925, 2055, 2148, 2224, 2427, 2439, 2585, 2791, 2810, 2828, 2904, 2947, 3013, 3100

Nanocomposite, 1072, 2233
Nanocomposites, 177, 189, 194, 322, 452, 947, 953, 1022, 1526, 1686, 1752, 1864, 2181, 2932, 3093, 3183, 3298
Nanoparticles, 2769
Nasal delivery, 2769
Natural fillers, 941
Natural rubber, 434, 2118
Networks, 1296, 1438, 1451, 2416
N-isopropylacrylamide, 724
NLO, 1121
NMR, 293, 302, 582, 966, 1004, 1211, 1289, 1665, 1881, 1963, 2462, 2563, 2670, 2677, 3005, 3232
Nonlinear viscoelasticity, 641
Nonsegmented polyurethanes, 380
Nucleation, 297, 872, 1608, 2261, 2804
N-vinylpyrrolidone, 724
Nylon, 112, 123, 1138, 1311, 1581, 1600, 1694, 2181, 2462
Nylon 6, 3202
Nylon 6 nucleation, 360

o-Benzoylchitosan, 489
O-carboxymethylated chitosan, 1719
Oily-streak texture, 1936
Oligomers, 1320, 1988, 2253, 3078
Oligopeptides, 2012
One-step polymerization, 853
Organic and inorganic polymers, 1904
Organic–inorganic hybrid, 2060
Organoclay, 3298
Organophilic clay, 953
Orientation, 442, 500, 1713, 3202
Oriented polymers, 1268, 1336

Particle nucleation, 1988
Particleboard, 531
Partition, 825
pdy(vinyl alcohol), 1346
Pentablock copolymer, 2649
Peptide delivery, 2769
Peptides, 2897
Percolation, 79, 3013
Pervaporation, 2688
PET nucleation, 360
Petroleum sulfonate, 860
pH, 494
Phase behavior, 1936, 2275, 2974
Phase diagram, 2224
Phase separation, 442, 990, 1573
Phase transitions, 1590
Phase-change behavior, 652
Phosphorycholine, 489
Photoinduced plasticization, 2068
Photoisomerization, 2068
Pigment, 2409
Pigments, 793
Plasma polymerization, 1473, 2038

Plasma-enhanced surface functionalization, 369
Plastics, 278, 422, 2100, 2108, 3033
Poisson's ratio, 2082
Poloxamer, 2649
Poly(acrylamide), 2522
Polyacrylate superabsorbent, 494
Polyacrylonitrile, 915, 2721
Polyaddition, 380
Polyamide, 2688
Polyamide 6, 953
Polyamide-6, 398
Polyamides, 669, 1162, 1252, 1686, 2450, 2492
Polyamines, 1627
Polyaniline, 369
Polyanion doping agent, 352
Poly(aryl ether sulfone ketone), 1111
Polyblend, 1719
Polybutadiene, 522, 1049, 2737
Poly(butylene succinate), 2238
Polycarbonate, 404, 2823
Polycarbonates, 112, 123, 612, 1010, 1196, 2280
Polychelatogens, 1698
Polycondensation, 1121, 1581, 2828
Polyelectrolyte, 2777
Polyelectrolyte complex, 346
Poly(ester–imide), 2168
Polyesters, 131, 139, 302, 788, 1236, 1320, 1825, 1854, 1956, 2097, 2450, 2598, 2851, 3279
Poly(ether ketones), 1196
Poly(ether sulfones), 3132
Polyethers, 139, 2698
Polyethylene, 545, 1794, 1942, 2007, 2339, 2434, 2804, 2823, 2842
Polyethylene glycol, 652
Poly(ethylene maleate), 1760
Polyethylene (PE), 12, 206, 466, 536, 788, 848, 1145, 1296, 1919, 1925, 2904, 3045
Polyethylene substrates, 369
Poly(ethylene terephthalate) (PET) fibers, 1180
Polyfunctional monomer, 2238
Polyglycerol, 743
Poly(glycerol methacrylate), 743
Poly(3-hydroxybutyrate), 659
Polyimide resins, 3151
Polyimides, 1, 669, 2210, 2388
Polyisobutylene, 1836
Poly(lactic acid), 825, 2224, 2744, 3239
Polymer blend, 2247, 2657
Polymer blends, 641
Polymer cure, 226
Polymer film, 2082
Polymer film deposition, 389
Polymer–solvent interaction, 1836
Polymeric films, 1100
Polymerization, 743, 1876, 2462, 2468, 3078
Polymerization kinetics, 2132
Poly(methyl methacrylate), 793
Poly(*N*-phenyl acrylamide), 1065
Poly(*N*-phenyl methacrylamide), 1065
Poly(*N*-vinylcarbazole), 2233
Polyolefin, 398
Polyolefins, 814, 966, 1242, 3070
Polyoxyethylene, 1632
Polyoxymethylene, 1268
Poly(*p*-dioxanone), 2744
Poly(phenylene oxide), 307
Polyphosphazenes, 908
Polypropylene, 602, 941, 947, 1055, 1438, 2842
Poly(propylene), 297, 2804
Polypropylene blends, 1336
Polypropylene copolymer, 2173
Poly(propylene) (pp), 1081
Poly(propylene) (PP), 72, 258, 266, 806, 872, 1465, 1506, 1608, 1643, 1676, 1726, 1799, 1951, 2139, 2148, 2202, 2253, 2261, 2346, 2450, 2492, 2504, 2861, 3045, 3093, 3117, 3298
Poly(propylene) (PP), nanocomposites, 3225
Polypyrrole, 352, 1225
Polypyrroles, 22
Polysaccharides, 16, 1170, 1808, 2575, 2828
Polysiloxanes, 1236, 1963
Polystyrene, 266, 595, 1488, 1643, 1836, 2247, 2346, 2698, 2706, 2714
Poly(1,1,2,2-tetrahydroperfluorodecyl acrylate), 2763
Poly(triazene–urethane) cationomers, 1203
Poly(trimethylene terephthalate), 2247
Polyurethanes, 189, 470, 612, 716, 759, 893, 900, 980, 1304, 1705, 1971, 2356, 2912
Poly(vinyl alcohol), 516, 3026, 3248
Poly(vinyl chloride), 201, 2657
Poly(vinyl chloride) (PVC), 293, 1296, 2478, 3188
Poly(2-vinylpyridine), 1632
Porous sintered metal plate, 2763
p,p'-Bibenzoic, 750
Predictive models, 641
Pressure sensitive adhesives, 2118
Processing, 545, 1956, 2377, 2698, 3045, 3151
Processing, welding, 3239
Prodrugs, 2012
Properties, 3151, 3168
Proteins, 1095
Pulse potentiostatic, 389
PVA, 79, 1858
PVA microfibrils, 2369
PVAc, 531
Pyrolysis, 1653
Radiation, 459, 730, 1129, 1153, 1925, 2992
Radiation crosslinking, heat stability, 2238
Radiation polymerization, 724
Radical polymerization, 161, 921, 1808, 2331, 2364, 2614, 3168
Raman spectroscopy, 452, 545
Rapid expansion, 2763
Rate constant, 2917
Reaction order, 2917
Reaction rate, 2917
Reactive extrusion, 1429, 1799
Reactive processing, 1799, 2202
Reactivity ratio, 1817
Reactivity ratios, 2563
Recycling, 483, 2377, 2756, 2861, 3033
Regeneration, 1230
Reinforcement, 1600, 2992
Relaxation, 1438, 1613, 1911, 2891
Removal, 414
Renewable resources, 2912
Residual stress, 226
Resin, 1768
Resins, 287, 582, 783, 788, 878, 1410, 1627, 1881, 2280, 2614, 2677, 2851, 2897, 2963, 3084
Resists, 1563
Retardation, 404
Rheological properties, 1858
Rheology, 201, 206, 266, 442, 627, 767, 908, 1376, 1526, 1719, 1911, 2300, 2310, 2478, 2810, 3070, 3151
Rigid organic particles, 2478
Rigid polyurethane foams, 2319
Ring opening polymerization, 226, 1429
Ring-opening polymerization, 2194
Rubber, 680, 775, 921, 980, 1613, 1653, 2097, 2530, 2539, 2630, 2992
Rubber fibers, 2499
Rule of mixtures, 2082
Rutherford back-scattering, 352

SAXS, 3183
Scanning electron microscopy, 346
Schiff base, 570
Scrap rubber powder, 2020
Segment anisotropy, 3202
Segmented polyurethanes, 380
Selectivity, 183, 414
Self-assembly, 893
SEM, 79, 1180
Semi-IPN, thermoplastic, viscoelastic properties, toughness, 3021
Sensors, 22, 1760, 2982
Separation technique, 183
Separation techniques, 428, 1752
Shear, 814
Shear flow, 510
Shrinkage temperature, 1889

Silicas, 189, 848, 966, 2060, 2210, 2630, 3159, 3168
Silicone, 3066
Silicone contamination, 2073
Silicone rubber, 2392
Silicones, 1236, 2073, 2377, 2522, 2630
Simulation, 2300, 2310
Simulations, 88, 730, 1258, 1279, 1465
Smectic, 750
Sol–gel, 636
Sol–gel technique, 2060
Solid content, 1747
Solid powder, 483
Solid-state NMR, 2247
Solid-state polymerization, 1252
Solid-state structure, 2677
Solubility, 853
Solution polymerization, 494
Solution properties, 3256
Sorbitol, 990
Sorption, 1760
Sorption selectivity, 2688
Spectroscopy, 522
Spherulite, 1022
Spin coating, 50
Spinnability, 1719
Spin-on-glass, 636
Sputtering, 2369
Stabilization, 2319, 3058
Starch, 146, 825, 990, 2007, 2434
Starch/pulp/glycerol film, 2100
Step-growth polymerization, 302
Stereosequence, 1858
Stereospecific polymers, 1049
Stimuli-responsive, 2012
Strain, 2988
Straw, 2055
Strength, 287, 1563, 2108
Stress, 1145
Stretchable conductive fabric, 1225
Structure, 104, 1049, 1115, 1138, 1357, 2664, 2912, 2988, 3168
Structure-property relations, 214, 806, 1590
Structure–property relations, 814, 2484, 3013, 3117
Styrene, 2942
Styrene–butadiene rubber, 434
Sulfonated polyphenylene oxide, 1100
Supercritical carbon dioxide, 522
Supercritical dioxide, 2763
Supports, 466, 1456
Surface, 595, 2828
Surface degradation, 2392
Surface modification, 522
Surface morphology, 1100
Surface parameters, 389
Surface tension, 3218
Surfaces, 278, 1328, 1726, 1951, 2346, 2400, 2450, 3132
Surfactants, 1236
Suspension polymerization, 832
Swelling, 428, 550, 840, 1686, 2032, 2189, 2725, 3026
Swelling behavior, 322
Swelling kinetics, 730
Syndiotactic, 832, 1482, 2737
Syndiotactic polystyrene, 2132
Syndiotactic PVA/gold complex, 2369
Synthesis, 1817, 2388, 2763, 2897, 3248

Tackifier, 2118
Talc, 1694
Tanning agents, 1889
Temperature sensitive, 2974
Tension, 1563
Terpolymers, 1004
Test methods, 1889
T_g determination, 2891
T_g vs. composition, 2891
Thermal analysis, 3139
Thermal conductivity, 1497
Thermal properties, 139, 201, 312, 407, 459, 595, 685, 759, 998, 1065, 1095, 1186, 1289, 1346, 1410, 1506, 1627, 1956, 2032, 2319, 2462, 2492, 2570, 2585, 2607, 2698, 2823, 2904, 3239
Thermal stability, 2168, 2233
Thermal transition, 750
Thermally induced phase separation, 2224
Thermodynamics, 1366, 2000, 3058
Thermogravimetric analysis (TGA), 1065, 1410, 1653, 2331, 2392
Thermomechanical analysis, 1889
Thermoplastic elastomers, 1976
Thermoplastic hydrogel, 2649
Thermoplastics, 550, 1694, 2310
Thermoset, 226
Thermosets, 1258, 1665, 2607
Thermotropic, 750
Thin films, 459
Thin-films, 12
Toughening, 1040
Toughness, 2439, 2478, 2963, 3298
Transient viscosity, 510
Transitions, 1942, 2416
Transmission electron microscopy, 2233
Triazene diol, 1203
Trilayer imaging process, 636
Tubule composite, 3218

Ultrafiltration membranes, 1698
Ultrasound, 434, 1665
Ultraviolet radiation, 1180
Uranyl complexation, 352
UV photodecomposition, 1203
UV radiation, 3202
UV–vis spectroscopy, 104, 589
UV-visible spectra, 1218
UVR protection, 1180

Vegetable tannins, 1889
Vinylester resin, 2124
4-Vinyl pyridine–methacrylonitrile copolymers, 3232
Viscoelastic model, 510
Viscoelastic properties, 226, 1242, 1438, 1705, 1942, 2118, 2160, 2992, 3256
Viscosity, 54, 153, 337, 2373, 2777, 2818, 2858, 3045, 3196
Visoelastic, 2639
Vulcameter, 680
Vulcanization, 680, 775, 2630

Waste, 483
Water soluble, 1482
Water-soluble polymers, 866, 1236, 1698, 3183
Water uptake, 941, 2100
WAXD, 2392
WAXS, 16, 872
Withdrawal strength of multigrooved dowel, 531
Wood-fiber/plastic composites, 3139

XPS, 278
X-ray, 893, 900, 1115, 2100, 2580
X-ray diffraction, 516

Yielding, 1438

Ziegler–Natta, 2468